The VIPER CEX410 is a professional self-contained and silent carpet extractor. With its excellent cleaning performance, you can maintain textiles like carpets and upholstery in an efficient and easy way, the powerful vacuum motor ensures fast dry-time.

The machine is equipped with large capacity tanks; 35L solution and 23L recovery made of ridged, chemical resistant and environmentally friendly polyethylene. The handle can easily be adjusted for different operator heights to obtain an ergonomic working position.

- · Low sound level enabling daytime cleaning
- Easy to maintain and service, with no tools needed
- Manual upholster or floor tool accessories available
- Foot operated parking stand for brush protection



Picture shown may not represent model quoted

<ul> <li>Standard equipment</li> </ul>	ll de la constant de					
Included accessories		Ref. no.	Min. required	CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOR 220-240V	CEX410-TR CARPET EXTRACTOR 220-240V
Brush						
	BRUSH KIT	VV81059	0	•	•	•
Other						
	CORD DETACHABLE 50 FEET US	VV67116	0	•		
	CORD FIXED 15M CN	VV81430-1	0			
đ	CORD FIXED 15M EU	VV81428-1	0		•	•
×	VACUUM SHOE KIT	VV81249	0	•	•	•

Standard equipment

Standard equipment

	Included accessories	Ref. no.	Min. required	CEX410-CN CARPET EXTRACTOR 220-240V
Brush				
	BRUSH KIT	VV81059	0	•
Other				
	CORD DETACHABLE 50 FEET US	VV67116	0	
	CORD FIXED 15M CN	VV81430-1	0	•



17161

		Included accessories		Ref. no.	Min. required	CEX410-CN CARPET EXTRACTOR 220-240V
đ	CORD FIXED 15M EU			VV81428-1	0	
	VACUUM SHOE KIT			VV81249	0	•
Model			CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOI 220-240V		CEX410-TR CARPET EXTRACTOR 220-240V
Ref. no.			50000545	50000546		50000547
PRODUCT F	EATURES					
Detachable c	ord		•			
With fixed cat	ble			•		•
Adjustable br	ush pressure		•	•		•
Solution filter			•	•		•
Adjustable ha	andle		•	•		•
Drain hose			•	•		•
Parking functi	ion		•	•		•
Model						CEX410-CN CARPET EXTRACTOR 220-240V
Ref. no.						50000548
PRODUCT F	EATURES					
Detachable co	ord					
With fixed cable						•
Adjustable brush pressure						•
Solution filter						•
Adjustable ha	andle					•
Drain hose						•
Parking functi	ion					•



Technical specifications	CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOR 220-240V	CEX410-TR CARPET EXTRACTOR 220-240V
Voltage (V)	110-120	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Rated power (W)	-	1850	1850
Brush motor (W)	0.5 HP	400	400
Vacuum motor power (W)	1.6 HP	1200	1200
Vacuum (mm H2O)	4.7	3200	3200
Sound pressure level (dB(A))	68+/- 3	70+/- 3	70+/- 3
Solution flow rate gpm (I/min.)	0.7 gal/min	2.8	2.8
Handle vibration level (m/s <sup>2</sup> )	<0.09	<2.5	<2.5
Working width (mm)	18 inch	460	460
Cleaning width (mm)	16 inch	410	410
Cable length (m)	50 ft	15	15
Solution tank (I)	9 gal	35	35
Recovery tank (I)	6 gal	23	23
Brush speed (RPM)	1400	1400	1400
Dimensions, L x W x H (mm)	46x20x35 inch	1170x510x880	1170x510x880
Gross weight (gvw) (kg)	176 lbs	80	80
Net weight (kg)	121 lbs	55	55
Shipping weight (kg)	143 lbs	65	65
Current draw, rated (A)	14.6	-	-
Body height	29 inch	740 mm	740 mm
Floor tool	10 inch	254 mm	254 mm
Upholstery tool	4.7 inch	121 mm	121 mm
Packaging dimensions	35.5x24x36.5 inch	900x605x925 mm	900x605x925 mm

Technical specifications	CEX410-CN CARPET EXTRACTOR 220-240V
Voltage (V)	220-240
Frequency (Hz)	50-60
Rated power (W)	1850
Brush motor (W)	400
Vacuum motor power (W)	1200
Vacuum (mm H2O)	3200
Sound pressure level (dB(A))	70+/- 3
Solution flow rate gpm (I/min.)	2.8
Handle vibration level (m/s <sup>2</sup> )	<2.5



Technical specifications	CEX410-CN CARPET EXTRACTOR 220-240V
Working width (mm)	460
Cleaning width (mm)	410
Cable length (m)	15
Solution tank (I)	35
Recovery tank (I)	23
Brush speed (RPM)	1400
Dimensions, L x W x H (mm)	1170x510x880
Gross weight (gvw) (kg)	80
Net weight (kg)	55
Shipping weight (kg)	65
Current draw, rated (A)	-
Body height	740 mm
Floor tool	254 mm
Upholstery tool	121 mm
Packaging dimensions	900x605x925 mm

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\Box}$  Mountable equipment

Accessories		Ref. no.	Min. required	CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOR 220-240V	CEX410-TR CARPET EXTRACTOR 220-240V
Other						
	CORD DETACHABLE 50 FEET US	VV67116	0	•		
	CORD FIXED 15M CN	VV81430-1	0			
đ	CORD FIXED 15M EU	VV81428-1	0		•	•
S	FLOOR TOOL KIT INCL 2.5M HOSE	VV81316	0	0	0	0
A HE	UPHOLSTERY HAND TOOL	VV81314	0	0	0	0
$\mathcal{O}$	UPHOLSTERY TOOL KIT INCL HOSE 63-250CM	VV81250	0	0	0	0



Accessories		Ref. no.	Min. required	CEX410-US CARPET EXTRACTOR 120V	CEX410-EU CARPET EXTRACTOR 220-240V	CEX410-TR CARPET EXTRACTOR 220-240V
2	VACUUM SHOE KIT	VV81249	0	●	•	•
Brush	Brush					
	BRUSH KIT	VV81059	0	•	•	•

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	CEX410-CN CARPET EXTRACTOR 220-240V
Other				
	CORD DETACHABLE 50 FEET US	VV67116	0	
	CORD FIXED 15M CN	VV81430-1	0	•
R	CORD FIXED 15M EU	VV81428-1	0	
SI	FLOOR TOOL KIT INCL 2.5M HOSE	VV81316	0	0
A HE	UPHOLSTERY HAND TOOL	VV81314	0	0
C	UPHOLSTERY TOOL KIT INCL HOSE 63-250CM	VV81250	0	0
>	VACUUM SHOE KIT	VV81249	0	•
Brush				
	BRUSH KIT	VV81059	0	•

