### Carefully designed to improve productivity and drive down your cleaning cost

The Nilfisk SC500 walk-behind scrubber dryer is carefully designed to improve productivity and drive down your total cleaning costs. These significant benefits are achieved through more ease-of-use and a series of technical features enabling daytime cleaning and the most effective use of water and detergent. A reliable choice for cleaning companies, hospitals, schools, offices, supermarkets, shops, sports centers, restaurants, hotels, and production floors.

Productivity is taken to a new level by the Nilfisk SmartFlow™ that automatically adjusts the water/detergent solution flow according to the speed of themachine. By using this control, which ensures a consistent cleaning result and an optimized consumption of water and chemicals, the operator can focus on getting the job done.

Cleaning costs are reduced due to several features. The sustainable Nilfisk Ecoflex™ system offers very flexible use of detergent, and also water-only cleaning, just by pushing a button. Also driving down costs is the opportunity to introduce more daytime cleaning thanks to the patented Nilfisk SilenTech™ technology allowing remarkably low sound level of the SC500

Optimize the battery-powered runtime of your SC500 with our new Lithium-Ion Battery.



Picture shown may not represent model quoted

- Ideal for daytime cleaning: Nilfisk SilenTech™ technology keeps extreme low sound level in all conditions
- SmartFlow™: solution flow of detergent/water automatically controlled by speed to have consistent cleaning and reduced consumptions
- Ease-of-use: Ergonomic drive paddle and informative display with OneTouch™ button and easy click on/off for the brush/padholder.
- SmartKey™ system with Separate Supervisor and Operator keySettings effectively controlled
- · Easy handling: Plastic light squeegee with patent elastic strap system
- Sustainable: Ecoflex™ system with flexible detergent setting and water-only cleaning
- Effective: 53cm scrubbing width and automatic brush speed control to save energy
- User friendly: Electric motor to lower/raise brush deck with OneTouch™ button
- Productive: 45/45 liter water tanks and up to 5 hours of running time in light applications
- SC500 REV™ version orbital scrubbing technology quickly and efficiently attacks dirt from multiple directions leaving the floor cleaner in a single pass"

### Standard equipment

	Included accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B FULL PKG	SCRUBBER SC500 53 B	SCRUBBER SC500 53R B
Ecoflex Syste	em					
	ECOFLEX DETERGENT KIT SC500	9100002395	1	•		
Disc Brush 53	30 mm					
	BRUSH DISC 530MM 21 PROLENE BLUE	L08837025	1	•		
Squeegee Bla	ade					
	BLADES SQUEE. 700MM 28 GUM RUBBER KIT	9100000810	1	•	•	•
Battery						
	BATT. 12V-105AH GEL MONOBLOC	80564400	2	•		



	Included accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B FULL PKG	SCRUBBER SC500 53 B	SCRUBBER SC500 53R B
On-Board Ch	arger					
₭.	CHARGER BATT. O/B 24V 13A 100-230V KIT	9099995000	1	•		
Other						
0	HOSE FILLING SIP	9100000703	1	•	•	•
	LITHIUM ION 24V UPGRADE KIT	9100003110	0			
<b>P</b>	SMART KEY-SUPERVISOR	56116519	1	•	•	•
00	SMART KEY-USER	56116518	1	•	•	•
* 4	TRAY DEBRIS KIT	9100000795	1			

Model	SCRUBBER SC500 53 B FULL PKG	SCRUBBER SC500 53 B	SCRUBBER SC500 53R B
Ref. no.	9087400020	9087401020	9087402020
PRODUCT FEATURES			
Battery version	•	•	•
Click on-off brush	•	•	
One-Touch™ control panel	•	•	•
Debris tray	•	•	•
Ecoflex prepared	•	•	•
Lithium ion battery	•	•	•
Squeezable drain hose with flow control	•	•	•
Delivered ready to use (full package)	•		
SmartKey system	•	•	•
Filling hose	•	•	•
Squeegee	•	•	•
SmartFlow system	•	•	•
TrackClean ready	•	•	•
Traction drive	•	•	•



PRODUCT FEATURES  Nilfisk SilenTech™  Technical specifications  SCRUBBER SC500 53 B FULL PKG  Max. running time (hour)  Max. speed (km/h)  Sumber of batteries  Voltage (V)  IP protection class  I Rated power (W)  Brush motor (W)  Vacuum motor power (W)	• RUBBER SC500 53 B 5 HOURS 5	9087402020 •  SCRUBBER SC500 53R B
Nilfisk SilenTech™         •           Technical specifications         SCRUBBER SC500 53 B FULL PKG           Max. running time (hour)         5 HOURS           Max. speed (km/h)         5           Number of batteries         Voltage (V)           Voltage (V)         24           IP protection class         I           Rated power (W)         930           Brush motor (W)         450           Vacuum motor power (W)         280	RUBBER SC500 53 B 5 HOURS	SCRUBBER SC500 53R B
Technical specifications  SCRUBBER SC500 53 B FULL PKG  Max. running time (hour)  Max. speed (km/h)  Sumber of batteries  Voltage (V)  IP protection class  Insulation class  Rated power (W)  Brush motor (W)  Vacuum motor power (W)  SCRUBBER SC500 53 B FULL PKG  SCRUBBER SC500 54 B FULL PKG  SCRUBBER SC500	RUBBER SC500 53 B 5 HOURS	SCRUBBER SC500 53R B
Max. running time (hour)  Max. speed (km/h)  Number of batteries  Voltage (V)  IP protection class  I Rated power (W)  Brush motor (W)  Vacuum motor power (W)  5 HOURS  450  Vacuum motor power (W)	53 B 5 HOURS	53R B
Max. speed (km/h)       5         Number of batteries       24         Voltage (V)       24         IP protection class       X4         Insulation class       I         Rated power (W)       930         Brush motor (W)       450         Vacuum motor power (W)       280		
Number of batteries  Voltage (V) 24  IP protection class X4  Insulation class I  Rated power (W) 930  Brush motor (W) 450  Vacuum motor power (W) 280	5	5 HOURS
Voltage (V)       24         IP protection class       X4         Insulation class       I         Rated power (W)       930         Brush motor (W)       450         Vacuum motor power (W)       280		5
IP protection class X4 Insulation class I Rated power (W) 930 Brush motor (W) 450 Vacuum motor power (W) 280		
Insulation class I Rated power (W) 930 Brush motor (W) 450 Vacuum motor power (W) 280	24	24
Rated power (W)       930         Brush motor (W)       450         Vacuum motor power (W)       280	X4	X4
Brush motor (W) 450 Vacuum motor power (W) 280	III	1
Vacuum motor power (W) 280	930	930
	450	670
Productivity theoretical/actual (m²/h) 2650/1590	280	280
	2650/1590	2550/1530
Scrubbing width (mm) 530	530	508
Max. climbing rate (%)	2	2
Solution flow (cl/m) 0.75/1.5/3	0.75/1.5/3	0.38/0.75/1.5
Solution/recovery tank (I) 45/45	45/45	45/45
Squeegee width (mm) 720	720	720
Brush/pad diameter (mm) 530/508	530/508	508/508
Brush pressure (kg) 15/30	15/30	22/30
Brush speed (RPM) 155	155	0-30
Brush quantity and type 1 Disc	1 Disc	1 REV
Length x width x height (mm) 1277x720x1063 12	77x720x1063	1277x720x1063
Battery compartment size (L x W x H) (mm) 350x350x260 3	50x350x260	350x350x260
Gross weight (gvw) (kg) 207	207	210
Net weight (kg) 85	83	88
Shipping weight (kg) 192	114	119
Vibration level at the operator's body (m/s²) <2.5	<2.5	<2.5
Batteries		~2.5
Sound level (IEC60335-2-72) 63 (60) ±3		~2.0



# Carefully designed to improve productivity and drive down your cleaning cost

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B FULL PKG	SCRUBBER SC500 53 B	SCRUBBER SC500 53R B
Pad 20" / 508 mm						
PAD	20 508MM ECO BLACK 5PCS	10001955	1	0	0	0
PAD	20 508MM ECO BLUE 5PCS	10001956	1	0	0	0
PAD	20 508MM ECO BROWN 5PCS	10001957	1	0	0	0
PAD	20 508MM ECO GREEN 5PCS	10001958	1	0	0	0
PAD	20 508MM ECO RED 5PCS	10001959	1	0	0	0
PAD	20 508MM ECO WHITE 5PCS	10001960	1	0	0	0
Special Pad						
PAD	20 508MM ECO BRILLIANCE BLUE 2PCS	10002349	1	0	0	0
PAD	20 508MM ECO BRILLIANCE GREEN 2PCS	10002351	1	0	0	0
PAD	20 508MM ECO BRILLIANCE RED 2PCS	10002348	1	0	0	0
PAD	20 508MM ECO BRILLIANCE YELLOW 2PCS	10002350	1	0	0	0
Ecoflex System						



	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B FULL PKG	SCRUBBER SC500 53 B	SCRUBBER SC500 53R B		
	ECOFLEX BOTTLE ASSY	56104190	1	0	0	0		
	ECOFLEX DETERGENT KIT SC500	9100002395	1	•				
External Char	External Charger							
8	CHARGER HF 24V 10A SB120R	80512410	1	0	0	0		
8	CHARGER HF 24V 13A SB120R	80532413	1	0	0	0		
Battery								
	BATT.12V-85AH WET SEMI T MONOBLOC	80564800	2	0	0	0		
	BATT.12V-110AH WET SEMI T MONOBLOC	L00200049	2	0	0	0		
OF 12 MAY	BATT. 12V-76AH GEL MONOBLOC	80564310	2	0	0	0		
	BATT. 12V-105AH GEL MONOBLOC	80564400	2	•	0	0		
	BATT. 12V-110AH WET TUBULAR MONOBLOC	80564600	2	0	0	0		
Pad Holder								
0	PAD HOLDER BRISTLE 20 510MM CPL	L08837018	1	0	0			
	PAD HOLDER FLAT 20 508MM	9099671000	1	0	0			
Other								
	AUTOMATIC WATER FILLING KIT	9100000005	1	0	0	0		



	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B FULL PKG	SCRUBBER SC500 53 B	SCRUBBER SC500 53R B
	FILTER ANTIFOAMING	909 5065 000	1	0	0	0
	HIGH POWER VACUUM MOTOR 24V 450W KIT	9100000491	1	0	0	0
0	HOSE FILLING SIP	9100000703	1	•	•	•
	LITHIUM ION 24V UPGRADE KIT	9100003110	0			
1	MOP AND TRASH KIT	9100002280	1		0	
	SMART KEY-SUPERVISOR	56116519	1	•	•	•
	SMART KEY-USER	56116518	1	•	•	•
W E	TRAY DEBRIS KIT	9100000795	1			
	USB PORT KIT SC500	9100002403	1	0	0	
Disc Brush 53	0 mm					
	BRUSH DISC 530MM 21 AGLITE GRIT 500	L08837067	1	0	0	
9	BRUSH DISC 530MM 21 DYNA GRIT 80	L08837066	1	0	0	
9	BRUSH DISC 530MM 21 GRIT 180 GREY	L08837028	1	0	0	
0	BRUSH DISC 530MM 21 MAGNA GRIT 46	L08837065	1	0	0	



	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B FULL PKG	SCRUBBER SC500 53 B	SCRUBBER SC500 53R B	
9	BRUSH DISC 530MM 21 MID GRIT 240	L08837029	1	0	0		
	BRUSH DISC 530MM 21 PROLENE BLUE	L08837025	1	•	0		
	BRUSH DISC 530MM 21 PROLITE BLUE	L08837026	1	0	0		
	BRUSH DISC 530MM 21 UNION MIX	L08837027	1	0	0		
Squeegee Bla	ade						
	BLADES SQUEE. 700MM 28 GUM RUBBER KIT	9100000810	1	•	•	•	
	BLADES SQUEEGEE 700MM 28 PU KIT	9100000490	1	0	0	0	
	BLADES SQUEEGEE 700MM 28 RED GUM KIT	9100000060	1	0	0	0	
On-Board Cha	arger						
€.	CHARGER BATT O/B JP 24V 13A 100-240V KIT	9100001710	1			0	
₭.	CHARGER BATT. O/B 24V 13A 100-230V KIT	9099995000	1	•			
Splash Guard	Splash Guard						
$\bigcirc$	SPLASH GUARD BRISTLE 510MM 20 KIT	9100001441	1	0	0		
Accessory Kit							



	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B FULL PKG	SCRUBBER SC500 53 B	SCRUBBER SC500 53R B
7	WHEEL CASTOR D.80 SS 2PCS SET	9100001581	1			

