

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 06/03/2015 Revision date: 01/09/2017 Version: 2.0

1.1. Product identifier	
Product identifier	: RELAXING SPA MB3000
	: 808081
Product code	
Vaporizer	: Aerosol
SKU #	: 1910727
I.2. Relevant identified uses of th	ne substance or mixture and uses advised against
I.2.1. Relevant identified uses	
Main use category	: Professional use
Jse of the substance/mixture	: Air care products Odour agents
1.2.2. Uses advised against	
No additional information available	
I.3. Details of the supplier of the	safety data sheet
Supplier	Other
Newell Europe Sàrl	Newell Poland Services Sp. z.o.o.
Chemin de Blandonnet 10	Plac Andersa 7
CH-1214 Vernier - Switzerland T +44(0)870 5686824	61-894 Poznań - Poland T +44(0)870 5686824
SDS.RCP@newellco.com	www.rubbermaid.eu/contact
1.4. Emergency telephone number	
Emergency number	: +44(0)870 5686824
SECTION 2: Hazards identifica	tion
2.1. Classification of the substan	ice or mixture
Classification according to Regulation	a (EC) No. 1272/2008 [CL P]
Classification according to Regulation	n (EC) No. 1272/2008 [CLP]
Aerosol, Category 1	H222;H229
Aerosol, Category 1 Serious eye damage/eye irritation, Categ	H222;H229
Aerosol, Category 1 Serious eye damage/eye irritation, Categ 2	H222;H229 Jory H319
Aerosol, Category 1 Serious eye damage/eye irritation, Categ 2 Hazardous to the aquatic environment —	H222;H229 Jory H319
Aerosol, Category 1 Serious eye damage/eye irritation, Categ 2 Hazardous to the aquatic environment — Chronic Hazard, Category 3	H222;H229 Jory H319 - H412
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Categ 2 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16	H222;H229 Jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Categ 2 Hazardous to the aquatic environment — Chronic Hazard, Category 3	H222;H229 Jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Categ Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea	H222;H229 gory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Categ Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea	H222;H229 gory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Catego Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements	H222;H229 Jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Categ 2 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements	H222;H229 Jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Catego Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC	H222;H229 Jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Categ 2 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available	H222;H229 Jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Catego Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC	H222;H229 Jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Catego Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC	H222;H229 Jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Catego Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC	H222;H229 Jory H319 - H412 H412 No. 1272/2008 [CLP] : : : : : : : : : : : : :
Aerosol, Category 1 Serious eye damage/eye irritation, Catego Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP)	H222;H229 pory H319 - H412 - H412 - No. 1272/2008 [CLP] : $\underbrace{\bigcup_{GHS02}}_{GHS02}$ $\underbrace{\bigcup_{GHS07}}_{GHS07}$
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP)	H222;H229 pory H319 - H412 - H412 - No. 1272/2008 [CLP] : : : : : : : : : : : : :
Aerosol, Category 1 Serious eye damage/eye irritation, Catego Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC	H222;H229 pory H319 - H412 H412 F) No. 1272/2008 [CLP] : $G_{HS02}$ $G_{HS02}$ $G_{HS07}$ : Danger : H222 - Extremely flammable aerosol.
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP)	H222;H229 pory H319 - H412 H412 H412 H412 H412 No. 1272/2008 [CLP] : : : : : : : : : : : : :
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP)	H222;H229 gory H319 - H412 - H412 - H412 - No. 1272/2008 [CLP] : : : : : : : : : : : : :
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	H222;H229 gory H319 - H412 H412 H412 H412 H412 No. 1272/2008 [CLP] : $i \longrightarrow i \longrightarrow$
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	H222;H229 jory H319 - H412 - H412 - H412 - H412 - Solution and environmental effects - H412 -
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP)	H222;H229 jory H319 H412 H4
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	H222;H229 jory H319 - H412 H412 H412 H412 H412 No. 1272/2008 [CLP] : U = U = U = U = U = U = U = U = U = U =
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	H222;H229 pory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	H222;H229 jory H319 - H412
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	H222;H229 pory H319 H412 H4
Aerosol, Category 1 Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human hea No additional information available 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	H222;H229 jory H319 - H412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P501 - Dispose of container to an approved waste disposal plant.

: EUH208 - Contains CITRONELLOL, HEXYL CINNAMAL, BENZYL SALICYLATE, HYDROXYCITRONELLAL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, hexyl 2-hydroxybenzoate, METHYLENEDIOXYPHENYL METHYLPROPANAL. May produce an allergic reaction.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	10 - 20	Flam. Liq. 2, H225
ISOPROPYL ALCOHOL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
BENZYL SALICYLATE	(CAS-No.) 118-58-1 (EC-No.) 204-262-9 (REACH-no) 01-2119969442-31	0.1 - 1	Skin Sens. 1, H317
HEXYL CINNAMAL	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
HYDROXYCITRONELLAL	(CAS-No.) 107-75-5 (EC-No.) 203-518-7 (REACH-no) 01-2119973482-31	0.1 - 1	Skin Sens. 1B, H317 Eye Irrit. 2, H319
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 915-730-3 (REACH-no) 01-2119489989-04	0.1 - 1	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1, H317
HEXAMETHYLINDANOPYRAN	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	0.1 - 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CITRONELLOL	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
hexyl 2-hydroxybenzoate	(CAS-No.) 6259-76-3 (EC-No.) 228-408-6 (REACH-no) 01-2119638275-36	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
METHYLENEDIOXYPHENYL METHYLPROPANAL	(CAS-No.) 1205-17-0 (EC-No.) 214-881-6 (REACH-no) 01-2120740119-58	0.1 - 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6	( 50 = <c 1<="" <="" td=""><td>00) Eye Irrit. 2, H319</td></c>	00) Eye Irrit. 2, H319

(EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

# Safety Data Sheet

ccording to Regulation (EC) No. 1907/2006 (REAC First-aid measures after eye contact	: Direct contact with the eyes is likely to be irritating. Rinse immediately with plenty of water.
First-aid measures after ingestion	<ul> <li>Direct contact with the eyes is interjoid be initialing. Rinse initiality with pienty of water.</li> <li>Obtain medical attention if pain, blinking or redness persists.</li> <li>Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.</li> </ul>
5	
4.2. Most important symptoms and	
Symptoms/effects after inhalation	: Shortness of breath.
•	dical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measure	9S
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire whe fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release n	neasures
	e equipment and emergency procedures
General measures	<ul> <li>No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.</li> </ul>
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. I	Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for contain	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Colle spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and pers	onal protection.
SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	<ul> <li>Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formatio of vapour. Do not spray on an open flame or other ignition source.</li> </ul>
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products Incompatible materials	<ul><li>Strong bases. Strong acids.</li><li>Sources of ignition. Direct sunlight. Heat sources.</li></ul>
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	
•	
Alcohol (64-17-5) United Kingdom Local nam	e Ethanol
26/03/2019	EN (English) 3

26/03/2019

EN (English)

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Alcohol (64-17-5)		
United Kingdom	WEL TWA (mg/m³)	1920 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	Regulatory reference	EH40. HSE
ISOPROPYL ALCOHOL (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1250 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	500 ppm
United Kingdom	Regulatory reference	EH40. HSE

### 8.2. Exposure controls

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

protective gloves

Eye protection:

None under normal use

### Respiratory protection:

None under normal use

#### Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: clear. Transparent.	
Colour	: Colourless. light yellow.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Vapour pressure	: 3.5 - 4.5 bar	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0.619 - 0.645	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: 1.8 - 19 vol %	
9.2. Other information		
No additional information available		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivit	у
10.1. Reactivity	
Stable under normal conditions of use.	
10.2. Chemical stability	
	der pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other
sources of ignition.	del pressure, may explode il heated. Extreme fisk of explosion by shock, inclidit, file of other
5	
10.3. Possibility of hazardous reactions Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperat	ures. Heat. Sparks. Open flame. Overheating.
10.5. Incompatible materials	
Oxidizing agent. Strong acids. Strong bases.	
10.6. Hazardous decomposition product	ts
fume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological informa	ation
11.1. Information on toxicological effect	S
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Alcohol (64-17-5) LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l
ISOPROPYL ALCOHOL (67-63-0)	
LD50 oral rat	2000 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	2000 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l
CITRONELLOL (106-22-9)	
LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 mg/kg bodyweight
HEXYL CINNAMAL (101-86-0)	
LD50 oral	$\sim 2450 \text{ mg/kg hodywaight}$
LD50 dermal	<ul> <li>&gt; 2450 mg/kg bodyweight</li> <li>&gt; 3000 mg/kg bodyweight</li> </ul>
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/l
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
HYDROXYCITRONELLAL (107-75-5) LD50 oral	> 5000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
hexyl 2-hydroxybenzoate (6259-76-3) LD50 oral rat	> 5000 mg/kg
	> 5000 mg/kg
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Germ cell mutagenicity Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reproductive toxicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
STOT-single exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
STOT-repeated exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
RELAXING SPA MB3000		
Vaporizer	Aerosol	
Potential adverse human health effects and	: Based on available data, the classification criteria are not met.	

Potential adverse human health effects and symptoms

<b>SECTION 12: Ecological information</b>	
12.1. Toxicity	
Ecology - water :	Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity :	Not classified
Chronic aquatic toxicity :	Harmful to aquatic life with long lasting effects.
Alcohol (64-17-5)	
LC50 fish 1	13000 mg/l
EC50 Daphnia 1	9300 mg/l
EC50 other aquatic organisms 1	5012 mg/l waterflea
EC50 other aquatic organisms 2	275 mg/l
ISOPROPYL ALCOHOL (67-63-0)	
LC50 fish 1	100 mg/l
EC50 Daphnia 1	100 mg/l
EC50 other aquatic organisms 1	13299 mg/l waterflea
EC50 other aquatic organisms 2	> 1000 mg/l
CITRONELLOL (106-22-9)	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	17.48 mg/l waterflea
EC50 other aquatic organisms 2	2.38 mg/l
HEXYL CINNAMAL (101-86-0)	
LC50 fish 1	1.7 mg/l
EC50 other aquatic organisms 2	> 0.32 mg/l
HYDROXYCITRONELLAL (107-75-5)	
EC50 other aquatic organisms 1	410 mg/l waterflea
EC50 other aquatic organisms 2	68 mg/l
12.2. Persistence and degradability	
RELAXING SPA MB3000	
Persistence and degradability	May cause long-term adverse effects in the environment.

Persistence and degradability	May cause long-term adverse effects in the environment.	
Alcohol (64-17-5)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
RELAXING SPA MB3000		
Bioaccumulative potential	Not established.	
Alcohol (64-17-5)		
Log Pow	-0.32	
Bioaccumulative potential	Not established.	
ISOPROPYL ALCOHOL (67-63-0)		
Log Pow	0.05	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CITRONELLOL (106-22-9)		
Log Pow	3.1	
HEXYL CINNAMAL (101-86-0)		
Log Pow	5.3	
HYDROXYCITRONELLAL (107-75-5)		
Log Pow	1.54	
12.4. Mobility in soil		

No additional information available

12.5.	Results of PBT and vPvB assessment
RELA	XING SPA MB3000
This s	ubstance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This s	ubstance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

Additional information

: Avoid release to the environment.

<b>SECTION 13: Disposal consideration</b>	ns
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.

# SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper shippin	ng name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	ption		•	
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	2.1	2.1
			2	
14.4. Packing group			-	-
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental ha	zards		·	·
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167
ERG code (IATA)	: 10L
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
14.7. Transport in bulk according to Ann	
	Not explicable

IBC code **SECTION 15: Regulatory information** 

: Not applicable.

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

### Indication of changes:

Section	Changed item	Change	Comments
	Revision date	Added	
2.2	Precautionary statements (CLP)	Modified	
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		

Other information

: None.

Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH208	Contains CITRONELLOL, HEXYL CINNAMAL, BENZYL SALICYLATE, HYDROXYCITRONELLAL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, hexyl 2-hydroxybenzoate, METHYLENEDIOXYPHENYL METHYLPROPANAL. May produce an allergic reaction.	

#### SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.