

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 01/04/2015 Revision date: 01/09/2017 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : CITRUS LEAVES DUET

: 3485858 Product code Vaporizer : Aerosol SKU# : 1910756

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Professional use Main use category Use of the substance/mixture : Air care products Odour agents

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet 1.3.

Supplier

Newell Europe Sàrl Chemin de Blandonnet 10 CH-1214 Vernier - Switzerland

T +44(0)870 5686824 SDS.RCP@newellco.com Other

Newell Poland Services Sp. z.o.o.

Plac Andersa 7

61-894 Poznań - Poland T +44(0)870 5686824 www.rubbermaid.eu/contact

Emergency telephone number

: +44(0)870 5686824 Emergency number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229 Hazardous to the aquatic environment — H412

Chronic Hazard, Category 3

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated. H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.

P501 - Dispose of container to an approved waste disposal plant.

EUH208 - Contains LIMONENE, HEXYL CINNAMAL, TETRAMETHYL **EUH-statements**

ACETYLOCTAHYDRONAPHTHALENES, CITRAL, CITRONELLOL, PINENES. May produce

an allergic reaction.

11/03/2019 EN (English) 1/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	10 - 20	Flam. Liq. 2, H225
ISOPROPYL ALCOHOL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119529223-47	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HEXYL CINNAMAL	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 915-730-3 (REACH-no) 01-2119489989-04	0.1 - 1	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1, H317
CITRAL	(CAS-No.) 5392-40-5 (EC-No.) 226-394-6 (EC Index-No.) 605-019-00-3 (REACH-no) 01-2119462829-23	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319
CITRONELLOL	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
PINENES	(CAS-No.) 127-91-3 (EC-No.) 204-872-5 (REACH-no) 01-2119519230-54	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(50 = <c 100)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1.		aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Cough. Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Shortness of breath.

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

11/03/2019 EN (English) 2/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when

fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour. Do not spray on an open flame or other ignition source.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ISOPROPYL ALCOHOL (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
United Kingdom	Regulatory reference	EH40. HSE

11/03/2019 EN (English) 3/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Alcohol (64-17-5)	Alcohol (64-17-5)	
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	Regulatory reference	EH40. HSE

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Transparent.

Colour : colourless to slightly yellow.

Odour characteristic. Odour threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point No data available : No data available Auto-ignition temperature Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : 3.5 - 4.5 bar Relative vapour density at 20 °C : No data available Relative density : 0.619 - 0.645 Solubility : No data available Log Pow No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : 1.8 - 19 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

11/03/2019 EN (English) 4/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1	. In	formatio	n on tox	cicoloa	ical effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

HEXYL CINNAMAL (101-86-0)	HEXYL CINNAMAL (101-86-0)		
LD50 oral	> 2450 mg/kg bodyweight		
LD50 dermal	> 3000 mg/kg bodyweight		
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/l		
CITRAL (5392-40-5)			
LD50 oral	4960 ma/ka hodyweight		

	recension graduation and the second s
LD50 dermal	2250 mg/kg bodyweight
CITEONELLOL (106-22-0)	

(100 == 0)	
LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 ma/ka bodyweight

2200 000.		
ISOPROPYL ALCOHOL (67-63-0)	ISOPROPYL ALCOHOL (67-63-0)	
LD50 oral rat	2000 mg/kg	
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal rat	2000 mg/kg	
LD50 dermal	12800 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l	

	g.
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l

Skin corrosion/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

11/03/2019 EN (English) 5/9

Safety Data Sheet

Additional information	: Based on available data, the classification criteria are not met
CITRUS LEAVES DUET	
Vaporizer	Aerosol
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
SECTION 12: Ecological information	n
2.1. Toxicity	
Ecology - water	: Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.
HEXYL CINNAMAL (101-86-0)	
LC50 fish 1	1.7 mg/l
EC50 other aquatic organisms 2	> 0.32 mg/l
CITRAL (5392-40-5)	
LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	7 mg/l waterflea
EC50 other aquatic organisms 2	5 mg/l
CITRONELLOL (106-22-9)	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	17.48 mg/l waterflea
EC50 other aquatic organisms 2	2.38 mg/l
ISOPROPYL ALCOHOL (67-63-0)	
LC50 fish 1	100 mg/l
EC50 Daphnia 1	100 mg/l
EC50 other aquatic organisms 1	13299 mg/l waterflea
EC50 other aquatic organisms 2	> 1000 mg/l
Alcohol (64-17-5)	40000
LC50 fish 1 EC50 Daphnia 1	13000 mg/l 9300 mg/l
EC50 other aquatic organisms 1	5012 mg/l waterflea
EC50 other aquatic organisms 2	275 mg/l
2000 Other addate organisms 2	Zionigi
2.2. Persistence and degradability	
CITRUS LEAVES DUET	
Persistence and degradability	May cause long-term adverse effects in the environment.
Alcohol (64-17-5)	
Persistence and degradability	Not established.
2.3. Bioaccumulative potential	
CITRUS LEAVES DUET	
Bioaccumulative potential	Not established.
HEXYL CINNAMAL (101-86-0)	
Log Pow	5.3
CITRAL (5392-40-5)	
Log Pow	2.8
CITRONELLOL (106-22-9)	
Log Pow	3.1
ISOPROPYL ALCOHOL (67-63-0)	
Log Pow	0.05
Alcohol (64-17-5)	
Log Pow	-0.32
Bioaccumulative potential	Not established.
2.4. Mobility in soil	

No additional information available 11/03/2019 EN (English) 6/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID		
14.1. UN number						
1950	1950	1950	1950	1950		
14.2. UN proper shipping name						
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS		
Transport document descr	Transport document description					
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1		
14.3. Transport hazard	14.3. Transport hazard class(es)					
2.1	2.1	2.1	2.1	2.1		
2	2	2	2	2		
14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards						
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No		
No supplementary information available						

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages: V14

(ADR)

Special provisions for carriage - Loading, : CV9, CV12

unloading and handling (ADR)

Special provisions for carriage - Operation : S2

(ADR)

Tunnel restriction code (ADR) : D

- Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02

Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D

11/03/2019 EN (English) 7/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) : S-U Stowage category (IMDG) : None

- Air transport

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Y203 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 203 PCA max net quantity (IATA) : 75kg CAO packing instructions (IATA) : 203 CAO max net quantity (IATA) : 150kg Special provisions (IATA) : A145, A167

- Inland waterway transport

ERG code (IATA)

Classification code (ADN) : 5F

Special provisions (ADN) : 19, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP02 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 2

Special provisions for carriage – Packages : W14

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW9, CW12

: 10L

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
	Revision date	Added	
2.2	Precautionary statements (CLP)	Modified	

11/03/2019 EN (English) 8/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and recealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		
H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
EUH208	Contains LIMONENE, HEXYL CINNAMAL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, CITRAL, CITRONELLOL, PINENES. May produce an allergic reaction.		

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

11/03/2019 EN (English) 9/9