

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 14/04/2015 Revision date: 01/09/2017 Version: 2.0

1.1. Product identifier	
Product name Product code	: ODOUR NEUTRALIZER AEROSOL : 801741
/aporizer	: Aerosol
SKU #	: R0220018
I.2. Relevant identified uses of the	e substance or mixture and uses advised against
.2.1. Relevant identified uses	
Main use category	: Professional use
Jse of the substance/mixture	: Air care products Odour agents
I.2.2. Uses advised against	
No additional information available	
I.3. Details of the supplier of the s	safety data sheet
Supplier	Other
Newell Europe Sàrl	Newell Poland Services Sp. z.o.o.
Chemin de Blandonnet 10 CH-1214 Vernier - Switzerland	Plac Andersa 7
CH-1214 Vernier - Switzenand Γ +44(0)870 5686824	61-894 Poznań - Poland T +44(0)870 5686824
SDS.RCP@newellco.com	www.rubbermaid.eu/contact
.4. Emergency telephone numbe	r
Emergency number	: +44(0)870 5686824
SECTION 2: Hazards identificat	
2.1. Classification of the substance	e or mixture
erosol, Category 1	H222;H229
Serious eye damage/eye irritation, Catego	bry H319
- Full text of H statements : see section 16	
Adverse physicochemical, human heal	th and environmental effects
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N
	smoking. P211 Do not spray on an open flame or other ignition source
	P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use.
	P280 - Wear eye protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	D227, D242. If over invitation manufate. Out mentions and destruction
	P337+P313 - If eye irritation persists: Get medical advice/attention. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.
:1 IH-statements	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.
EUH-statements	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	20 - 50	Flam. Liq. 2, H225
ISOPROPYL ALCOHOL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	10 - 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
HEXYL CINNAMAL	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
Specific concentration limits:			
Name	Product identifier	Specific c	oncentration limits

Name	Product identifier	Specific concentration limits
Alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(50 = <c 100)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medica advice (show the label where possible).	ıl
First-aid measures after inhalation	: Cough. Assure fresh air breathing. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, follo by warm water rinse.	owed
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to b irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irrita persists: Get medical advice/attention.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effe	ts, both acute and delayed	
Symptoms/effects after inhalation	: Shortness of breath.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
4.3. Indication of any immediate medica	l attention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the su	bstance or mixture	
Fire hazard	: Extremely flammable aerosol.	
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk burns and injuries.	of
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting an chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire fire reaches explosives. Evacuate area.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection	on.
12/03/2019	EN (English)	2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective	6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew with proper protection.		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. N	otify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for contain	nment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
6.4. Reference to other sections			
See Heading 8. Exposure controls and perso	onal protection.		
SECTION 7: Handling and storage	9		
7.1. Precautions for safe handling			
Additional hazards when processed	: Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.		
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.		
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe storage, incl	uding any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.		
Incompatible products	: Strong bases. Strong acids.		
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.		
7.3. Specific end use(s)			
No additional information available			

SECTION 8: Exposure controls/personal protection

3.1. Control parameters			
Alcohol (64-17-5)			
United Kingdom	Local name	Ethanol	
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³	
United Kingdom	WEL TWA (ppm)	1000 ppm	
United Kingdom	Regulatory reference	EH40. HSE	
ISOPROPYL ALCOHOL (67-63-0)			
United Kingdom	Local name	Propan-2-ol	
United Kingdom	WEL TWA (mg/m³)	999 mg/m³	
United Kingdom	WEL TWA (ppm)	400 ppm	
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³	
United Kingdom	WEL STEL (ppm)	500 ppm	
United Kingdom	Regulatory reference	EH40. HSE	

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: clear. Transparent.
Colour	: colourless to slightly yellow.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: 5 - 5.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.61 - 0.635
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1.2 - 23.5 vol %
0.2 Other information	

9.2. Other information

No additional information available

SECTI	ON 10: Stability and reactivity	
10.1.	Reactivity	
No addit	ional information available	
10.2.	Chemical stability	
	ly flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other of ignition.	
10.3.	Possibility of hazardous reactions	
Not esta	blished.	
10.4.	Conditions to avoid	
Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.		

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation)	: Not classified
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l
ISOPROPYL ALCOHOL (67-63-0)	
LD50 oral rat	2000 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	2000 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l
HEXYL CINNAMAL (101-86-0)	
LD50 oral	> 2450 mg/kg bodyweight
LD50 dermal	> 3000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/l
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
	·
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
ODOUR NEUTRALIZER AEROSOL	
Vaporizer	Aerosol
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information		
12.1. Toxicity		
Acute aquatic toxicity	: Not classified	
Chronic aquatic toxicity	: Not classified	
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l waterflea	
EC50 other aquatic organisms 2	275 mg/l	
ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	13299 mg/l waterflea	
EC50 other aquatic organisms 2	> 1000 mg/l	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

		its amen	dment Regulation (EU) 2015/830)	
HEXYL CINNAMAL (101-	86-0)	4 7	<i>n</i>		
LC50 fish 1	0	1.7 m	-		
EC50 other aquatic organi	ISMS 2	> 0.32	: mg/I		
12.2. Persistence and	degradability				
ODOUR NEUTRALIZER	AEROSOL				
Persistence and degradab	bility	Not es	stablished.		
Alcohol (64-17-5)					
Persistence and degradab	bility	Not es	stablished.		
12.3. Bioaccumulative	e potential				
ODOUR NEUTRALIZER	AEROSOL				
Bioaccumulative potential		Not es	stablished.		
Alcohol (64-17-5)					
Log Pow		-0.32			
Bioaccumulative potential		Not es	stablished.		
ISOPROPYL ALCOHOL	(67-63-0)				
Log Pow		0.05			
HEXYL CINNAMAL (101-	86-0)				
Log Pow		5.3			
12.4. Mobility in soil					
No additional information av	vailable				
12.5. Results of PBT a	ind vPvB assessment	t			
No additional information av	vailable				
12.6. Other adverse ef	ifects				
Additional information		: Avoid	release to the environment.		
SECTION 13: Dispos	al considerations	\$			
13.1. Waste treatment					
Product/Packaging disposal	recommendations		se in a safe manner in accor ure. Do not drill or burn even	dance with local/national regulat	ions. Container under
Additional information			nable vapours may accumula		
Ecology - waste materials			release to the environment.		
		. ////010			
SECTION 14: Transp	ort information				
In accordance with ADR / R	ID / IMDG / IATA / ADI	N			
ADR	IMDG		IATA	ADN	RID
14.1. UN number	1				
1950	1950		1950	1950	1950
14.2. UN proper shipp AEROSOLS	AEROSOLS		Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document desc				ALIOUULU	
UN 1950 AEROSOLS, 2.1,	UN 1950 AEROSOL	S, 2.1	UN 1950 Aerosols,	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
(D)			flammable, 2.1		
14.3. Transport hazard			0.1	2.4	0.1
2.1	2.1		2.1	2.1	2.1
1	- Alle		*		-
$\langle \underline{\bullet} \rangle$					
	2		2	2	2
2					

14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 190, 327, 344, 023 : 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
-	: PP87, RR6, L2
Special packing provisions (ADR) Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: NF9
Special provisions for carriage - Packages	: V14
(ADR)	. 14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
	: S2
Special provisions for carriage - Operation (ADR)	. 32
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167
ERG code (IATA)	: 10L
	. 102
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages	: W14
(RID)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12	
Colis express (express parcels) (RID)	: CE2	
Hazard identification number (RID) : 23		
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code		
IBC code : Not applicable.		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
15.1.1. EU-Regulations	.1.1. EU-Regulations	

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Section	Changed item	Change	Comments
	Revision date	Added	
2.2	Precautionary statements (CLP)	Modified	

Data Sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Aerosol 1	Aerosol, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH208	Contains HEXYL CINNAMAL. May produce an allergic reaction.

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product