

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 17/03/2015 Revision date: 15/03/2019 Version: 2.0

SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	: Auto Janitor BioSense	
Product code	: 800021	
Type of product	: Detergent	
SKU #	: R0410804	
1.2. Relevant identified uses of the sub	ostance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Professional use	
Use of the substance/mixture	: Container fitted with a sealed spray attachment Odour agents	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safet	y data sheet	
Supplier Newell Europe Sàrl Chemin de Blandonnet 10 CH-1214 Vernier - Switzerland T +44(0)870 5686824 SDS.RCP@newellco.com	Other Newell Poland Services Sp. z.o.o. Plac Andersa 7 61-894 Poznań - Poland T +44(0)870 5686824 <u>www.rubbermaid.eu/contact</u>	
1.4. Emergency telephone number		
Emergency number	: +44(0)870 5686824	
SECTION 2: Hazards identification		
2.1. Classification of the substance or	mixture	
Classification according to Regulation (EC)	No. 1272/2008 [CLP]	
Flammable liquids, Category 3 H226 Serious eye damage/eye irritation, Category H318 1 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available		
2.2. Label elements		
Labelling according to Regulation (EC) No.	1272/2008 [CLP]	
Hazard pictograms (CLP)	HS02 GHS05	
Signal word (CLP)	: Danger	
Hazardous ingredients	: Alcohols, C6-12, ethoxylated	
Hazard statements (CLP)	: H226 - Flammable liquid and vapour. H318 - Causes serious eye damage.	
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. 	
EUH-statements	: EUH208 - Contains CITRONELLOL, LIMONENE, HEXYL CINNAMAL, CITRAL. May produce an allergic reaction.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C9-11 PARETH-3	(CAS-No.) 68439-46-3 (EC-No.) 500-446-0 (REACH-no) 01-2119979533-26	1 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	1 - 10	Flam. Liq. 2, H225
ISOPROPYL ALCOHOL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Alcohols, C6-12, ethoxylated	(CAS-No.) 68439-45-2 (EC-No.) 614-481-5	1 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
CITRONELLOL	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119529223-47	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HEXYL CINNAMAL	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
CITRAL	(CAS-No.) 5392-40-5 (EC-No.) 226-394-6 (EC Index-No.) 605-019-00-3 (REACH-no) 01-2119462829-23	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319
Ethoxylate Ethylene oxide substance with a Community workplace exposure limit	(CAS-No.) 75-21-8 (EC-No.) 200-849-9 (EC Index-No.) 603-023-00-X (REACH-no) 01-2119432402-53	< 0.1	Press. Gas Flam. Gas 1, H220 Carc. 1B, H350 Muta. 1B, H340 Acute Tox. 3 (Inhalation), H331 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315

Name	Product identifier	Specific concentration limits
	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(50 = <c 100)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medica advice.
First-aid measures after skin contact	 Rinse skin with water/shower. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	(REACH) with its amendment Regulation (EO	, 2010/000	
4.2. Most important sympto	ms and effects, both acute and delayed		
Symptoms/effects		a significant hazard under anticipated conditions of normal us	se.
Symptoms/effects after eye contac	t : Causes serious eye dama	age.	
4.3. Indication of any immediate medical attention and special treatment needed			
No additional information available			
SECTION 5: Firefighting m	easures		
5.1. Extinguishing media			
Suitable extinguishing media	: Carbon dioxide. Dry powo		
Unsuitable extinguishing media	: Do not use a heavy water	r stream.	
5.2. Special hazards arising	from the substance or mixture		
Fire hazard	: Flammable liquid and vap		
Explosion hazard	: May form flammable/expl		
Hazardous decomposition products fire	s in case of : Carbon monoxide. Organ	ic compounds.	
5.3. Advice for firefighters			
Firefighting instructions	: Exercise caution when fic	ghting any chemical fire. Use water spray or fog for cooling ex	kposed
<u> </u>		ghting water from entering the environment.	
Protection during firefighting	: Do not enter fire area with	hout proper protective equipment, including respiratory protection	ction.
SECTION 6: Accidental re	ease measures		
6.1. Personal precautions,	protective equipment and emergency pro	ocedures	
General measures	: Remove ignition sources.	. Use special care to avoid static electric charges. No open fla	ames. No
	smoking.		
6.1.1. For non-emergency pe	rsonnel		
No additional information available			
6.1.2. For emergency respon	ders		
Protective equipment	: Equip cleanup crew with p	proper protection.	
Emergency procedures	: Ventilate area.		
6.2. Environmental precaut	ions		
Prevent entry to sewers and public	waters. Notify authorities if liquid enters se	wers or public waters.	
6.3. Methods and material f	or containment and cleaning up		
Methods for cleaning up		solids, such as clay or diatomaceous earth as soon as possible	le. Store
	away from other materials	S.	
6.4. Reference to other sec			
See Heading 8. Exposure controls	and personal protection.		
SECTION 7: Handling and	storage		
7.1. Precautions for safe ha	ndling		
Additional hazards when processe		with care because residual vapours are flammable.	
Precautions for safe handling	: Keep away from sources prevent formation of vapo	of ignition - No smoking. Provide good ventilation in process	area to
Hygiene measures		ing should not be allowed out of the workplace. Wash contam	ninated
	clothing before reuse. Wa	ash hands and other exposed areas with mild soap and water	
		ng and when leaving work.	
	rage, including any incompatibilities		
Storage conditions		container in a cool, well ventilated place away from : Heat souther not in use.	urces.
compatible products : Strong bases. Strong acids.			
Incompatible materials		: Sources of ignition. Direct sunlight.	
3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
Ethoxylate Ethylene oxide (75-2		Ethodose solds	
<u> </u>	ocal name VEL TWA (mg/m³)	Ethylene oxide 9.2 mg/m ³	
25/03/2019	EN (English)	3.2 mg/m ⁻	3/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethoxylate Ethylene oxide (75-21-8)			
United Kingdom	WEL TWA (ppm)	5 ppm	
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51)	
United Kingdom	Regulatory reference	EH40. HSE	
Alcohol (64-17-5)			
United Kingdom	Local name	Ethanol	
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m³	
United Kingdom	WEL TWA (ppm)	1000 ppm	
United Kingdom	Regulatory reference	EH40. HSE	
ISOPROPYL ALCOHOL	_ (67-63-0)		
United Kingdom	Local name	Propan-2-ol	
United Kingdom	WEL TWA (mg/m ³)	999 mg/m³	
United Kingdom	WEL TWA (ppm)	400 ppm	
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m³	
United Kingdom	WEL STEL (ppm)	500 ppm	
United Kingdom	Regulatory reference	EH40. HSE	

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

In case of repeated or prolonged contact wear gloves

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: Transparent.	
Odour	: characteristic.	
Odour threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 60 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable liquid and vapour.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according t	o Regulation (EC) No. 1907/2006 (REACH) v	With its amendment Regulation (EU) 2015/830		
Viscosit	y, dynamic	: No data available		
Explosiv	Explosive properties : No data available			
Oxidisin	g properties	: No data available		
Explosiv	e limits	: No data available		
9.2.	Other information			
	tional information available			
	ON 10: Stability and reactivity			
10.1.	Reactivity			
Stable u	inder normal conditions of use.			
10.2.	Chemical stability			
Flamma	ble liquid and vapour.			
10.3.	10.3. Possibility of hazardous reactions			
Not esta	Not established.			
10.4.	Conditions to avoid			
Direct s	Direct sunlight. Extremely high or low temperatures.			
10.5.	10.5. Incompatible materials			
Strong a	Strong acids. Strong bases. Oxidizing agent.			
10.6.	10.6. Hazardous decomposition products			
fume. Carbon monoxide. Carbon dioxide. Organic compounds. May release flammable gases.				
SECT	ON 11: Toxicological informa			
11.1.	Information on toxicological effects	S		
Acute to	oxicity (oral)	: Not classified		
Acute to	oxicity (dermal)	: Not classified		

Acute toxicity (inhalation)	: Not classified
CITRONELLOL (106-22-9)	
LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 mg/kg bodyweight
HEXYL CINNAMAL (101-86-0)	· ·
LD50 oral	> 2450 mg/kg bodyweight
LD50 dermal	> 3000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/l
CITRAL (5392-40-5)	
LD50 oral	4960 mg/kg bodyweight
LD50 dermal	2250 mg/kg bodyweight
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l
ISOPROPYL ALCOHOL (67-63-0)	
LD50 oral rat	2000 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	2000 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l
Alcohols, C6-12, ethoxylated (68439-45-2)	
LD50 oral	300 mg/kg
LD50 dermal	2000
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information		
12.1. Toxicity		
Acute aquatic toxicity	Not classified	
Chronic aquatic toxicity	Not classified	
CITRONELLOL (106-22-9)		
LC50 fish 1	10 mg/l	
EC50 other aquatic organisms 1	17.48 mg/l waterflea	
EC50 other aquatic organisms 2	2.38 mg/l	
HEXYL CINNAMAL (101-86-0)		
LC50 fish 1	1.7 mg/l	
EC50 other aquatic organisms 2	> 0.32 mg/l	
CITRAL (5392-40-5)		
LC50 fish 1	4.1 mg/l	
EC50 other aquatic organisms 1	7 mg/l waterflea	
EC50 other aquatic organisms 2	5 mg/l	
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l waterflea	
EC50 other aquatic organisms 2	275 mg/l	
ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	13299 mg/l waterflea	
EC50 other aquatic organisms 2	> 1000 mg/l	

12.2. Persistence and degradability

Alcohol (64-17-5)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
CITRONELLOL (106-22-9)		
Log Pow	3.1	
HEXYL CINNAMAL (101-86-0)		
Log Pow	5.3	
CITRAL (5392-40-5)		
Log Pow	2.8	
Alcohol (64-17-5)		
Log Pow	-0.32	
Bioaccumulative potential	Not established.	
ISOPROPYL ALCOHOL (67-63-0)		
Log Pow	0.05	
12.4. Mobility in soil		
No additional information available		

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5.	Results of PBT and vPvB assessment	
Auto 、	Janitor BioSense	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This s	ubstance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
12.6.	Other adverse effects	

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Additional information	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.	

Ecology - waste materials

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

In accordance with ADR / RID / INIDG / IATA / ADIN				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
1987	1987	1987	1987	1987
14.2. UN proper shippi	ng name		·	
ALCOHOLS, N.O.S.	ALCOHOLS, N.O.S.	Alcohols, n.o.s.	ALCOHOLS, N.O.S.	ALCOHOLS, N.O.S.
Transport document descr	iption	•	•	
UN 1987 ALCOHOLS, N.O.S. (CONTAINS ; Alcohol(64-17-5) ; ISOPROPYL ALCOHOL(67-63-0)), 3, III, (D/E)	UN 1987 ALCOHOLS, N.O.S., 3, III	UN 1987 Alcohols, n.o.s., 3, III	UN 1987 ALCOHOLS, N.O.S., 3, III	UN 1987 ALCOHOLS, N.O.S., 3, III
14.3. Transport hazard	class(es)		1	
3	3	3	3	3
14.4. Packing group				
	111	111	111	III
14.5. Environmental ha	azards		•	•
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
	No s	upplementary information avai	ilable	

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	30
	50
	1987
Tunnel restriction code (ADR)	: D/E
EAC code	: •3YE
- Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A180
ERG code (IATA)	: 3L
- Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 61
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Allergenic fragrances > 0,01%:		
CITRONELLOL		
LIMONENE		
LINALOOL		
Hexyl cinnamic aldehyde		
Citral		
Detergent Regulation : Labelling of contents:		
Component	%	
anionic surfactants	<5%	
POTASSIUM SORBATE		
perfumes		
CITRONELLOL		
LIMONENE		
LINALOOL		
HEXYL CINNAMIC ALDEHYDE		
CITRAL		

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Section	Changed item	Change	Comments
	Revision date	Added	
Data sources		COUNCIL of 16 December 2008 or	OF THE EUROPEAN PARLIAMENT AND OF THE classification, labelling and packaging of substances and Directives 67/548/EEC and 1999/45/EC, and amending
Other information		considered, as far as the informatio and Version number). DISCLAIMER from sources which we believe are warranty, express or implied, regard storage, use or disposal of the prod knowledge. For this and other rease liability for loss, damage or expense storage, use or disposal of the prod	t knowledge. Consistency of data in the SDS with CSR is n is available at the time of compilation (cfr Revision date R OF LIABILITY The information in this SDS was obtained reliable. However, the information is provided without any ding its correctness. The conditions or methods of handling luct are beyond our control and may be beyond our ons, we do not assume responsibility and expressly disclair e arising out of or in any way connected with the handling, luct. This SDS was prepared and is to be used only for this component in another product, this SDS information may

Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Carc. 1B Carcinogenicity, Category 1B		
Eye Dam. 1 Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
25/03/2019	EN (English)	9/10

not be applicable.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Muta. 1B	Germ cell mutagenicity, Category 1B		
Press. Gas	Gases under pressure		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		
H220	Extremely flammable gas.		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H335	May cause respiratory irritation.		
H336	May cause drowsiness or dizziness.		
H340	May cause genetic defects.		
H350	May cause cancer.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
EUH208	Contains CITRONELLOL, LIMONENE, HEXYL CINNAMAL, CITRAL. May produce an allergic reaction.		

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.