6 Spare part pins for 1011x & 1013x, Pink





6 Spare part pins for 1011x Hygienic Hi-Flex Wall Bracket System & 1013x Grip Band Module.

Technical Data

Material Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ No Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Hall and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net eight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.030528 kg Gross Welght 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C	Item Number	10011
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning tem	Material	Polypropylene
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Gross Weight 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 40 °C Max u	Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs. Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 40 °C Min. usage temperature (non food contact) 0 °C Min. pH-val		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature (non food contact)	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight pag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 40 °C Max usage temperatures 0 °C Min. usage temperature 2 pH Max. pH-value in usage concentration 10.5 pH <t< th=""><th>Complies with UK 2019 No. 704 on food contact materials</th><th>Yes</th></t<>	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature in usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs. Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. usage temperature on food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP	California Proposition 65 Compliant	Yes
Box Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022034709	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 11520 Pcs Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 40 °C Min. usage temperature in usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022034709	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 480 Pcs. Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022034709	Box Quantity	25 Pcs.
Box Length 243 mm Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight cardboard 0.0016 kg LopE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022034709	Quantity per Pallet (80 x 120 x 200 cm)	11520 Pcs
Box Width 147 mm Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature' 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022034709	Quantity Per Layer (Pallet)	480 Pcs.
Box Height 75 mm Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022034709	Box Length	243 mm
Length 67 mm Width 80 mm Height 14 mm Net Weight 0.0096 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0016 kg Weight cardboard 0.0030528 kg Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022034709	Box Width	147 mm
Width80 mmHeight14 mmNet Weight0.0096 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0016 kgWeight cardboard0.0030528 kgTare total0.0046528 kgGross Weight0.01 kgCubik metre7.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Box Height	75 mm
Height14 mmNet Weight0.0096 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0016 kgWeight cardboard0.0030528 kgTare total0.0046528 kgGross Weight0.01 kgCubik metre7.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Length	67 mm
Net Weight0.0096 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0016 kgWeight cardboard0.0030528 kgTare total0.0046528 kgGross Weight0.01 kgCubik metre7.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Width	80 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0016 kgWeight cardboard0.0030528 kgTare total0.0046528 kgGross Weight0.01 kgCubik metre7.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Height	14 mm
(LDPE)Weight cardboard0.0030528 kgTare total0.0046528 kgGross Weight0.01 kgCubik metre7.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Net Weight	0.0096 kg
Tare total 0.0046528 kg Gross Weight 0.01 kg Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022034709		0.0016 kg
Gross Weight Cubik metre 7.5E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number	Weight cardboard	0.0030528 kg
Cubik metre7.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Tare total	0.0046528 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Gross Weight	0.01 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Cubik metre	7.5E-05 M3
Max usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature30 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Max usage temperature (food contact)	40 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022034709	Min. usage temperature ³	0 °C
Recycling Symbol "5", Polypropylene (PP) Stin-13 Number 5705022034709	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705022034709	Max. pH-value in Usage Concentration	10.5 pH
	Recycling Symbol "5", Polypropylene (PP)	Yes
GTIN-14 Number (Box quantity) 15705028034694	Gtin-13 Number	5705022034709
	GTIN-14 Number (Box quantity)	15705028034694

Customs Tariff No. 39241000

Country of origin DK

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact