Hygienic Wall Bracket, Single Hook Module, 41.5 mm, Pink





The single hook module is designed for hanging cleaning tools with a hanging hole. The hook is slid onto the supplied single-base/spacer from the left or right side. The single hook module can hold products weighing up to 3 kg.

The hook is easy to disassemble for cleaning or replacement.

Technical Data

Raterial Polypropylene Polyamide Somplies with (EC) 1935/2004 on food contact materials¹ No produced according to EU Regulation 2023/2006/EC of Good Inaunfacturing Practice DA compliant raw material (CFR 21) Yes Reets the REACH Regulation (EC) No. 1907/2006 Yes Res of phthalates and bisphenol A No as Halal and Kosher compliant Sox Quantity 5 Pcs Quantity 5 Pcs Quantity 5 Pcs Quantity 7 Pcs Q	Item Number	10121
Complies with (EC) 1935/2004 on food contact materials¹ Not concluded according to EU Regulation 2023/2006/EC of Good fanufacturing Practice DA compliant raw material (CFR 21) DA compliant r	Holds products between	25 - 34 mm
reduced according to EU Regulation 2023/2006/EC of Good flanufacturing Practice DA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Yes fleets the REACH Regulation (EC) No. 1907/2006 Yes fleet of phthalates and bisphenol A Se Halal and Kosher compliant Yes fox Quantity 5 Pos Quantity Per Layer (Pallet) 120 Pos flow Width 124 mm 125 And Height 126 Mm 127 Mm 128 Mm 129 Mm 129 Mm 120 Mm	Material	Polypropylene Polyamide
Manufacturing Practice DA compliant raw material (CFR 21) See of phthalates and bisphenol A Is Halal and Kosher compliant Sox Quantity Sox Quantity Sox Cuantity Sox Length Sox Length Sox Height Sox He	Complies with (EC) 1935/2004 on food contact materials ¹	No
Reets the REACH Regulation (EC) No. 1907/2006 Yes of phthalates and bisphenol A To be Halal and Kosher compliant Sox Quantity Sox Quantity Sox Quantity Sox Length Sox Length Sox Height Sox	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Ise of phthalates and bisphenol A Se Halal and Kosher compliant Sex Quantity Sex Quantity Sex Quantity Sex Quantity Sex Length Sex Length Sex Height Sex	FDA compliant raw material (CFR 21)	Yes
As Halal and Kosher compliant Fox Quantity Stox Quantity Stox Quantity Stox Length Stox Length Stox Width Stox Height Stox Heig	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Sox Quantity 5 Position Sox Length 282 mm Sox Length 282 mm Sox Width 124 mm Sox Height 78 mm Sox Height 78 mm Length 41,5 mm Vidth 78 mm Idelight 48 mm Idelight bag 0,0253 kg Veight bag 0,002 kg Veight cardboard 0,0134 kg Gross Weight 0,0154 kg Subik metre 0,000155 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature ³ -10 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) No Stin-13 Number 5705022028906 STIN-14 Number (Box quantity) 15705028028891 Stustoms Tariff No. 39241000	Use of phthalates and bisphenol A	No
Quantity Per Layer (Pallet) 120 Pcs Sox Length 282 mm Sox Width 124 mm Sox Height 78 mm Length 41,5 mm Vidth 78 mm Leight 48 mm Let Weight bag 0,0253 kg Veight bag 0,002 kg Veight cardboard 0,0134 kg Gross Weight 0,04 kg Cobic memorial describing temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Inon food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph Recycling Symbol "5", Polypropylene (PP) No Stin-13 Number 5705022028906 STIN-14 Number (Box quantity) 15705028028891 Sustoms Tariff No. 39241000	Is Halal and Kosher compliant	Yes
Sox Length 282 mm Sox Width 124 mm Sox Height 78 mm Length 41,5 mm Vidth 78 mm Ieight 48 mm Ieight bag 0,0253 kg Veight bag 0,002 kg Veight cardboard 0,0134 kg Gross Weight 0,04 kg Cobik metre 0,000155 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature ³ -10 °C Min. pH-value in usage concentration 2 ph Recycling Symbol "5", Polypropylene (PP) No Stin-13 Number 5705022028906 GTIN-14 Number (Box quantity) 15705028028891 Customs Tariff No. 39241000	Box Quantity	5 Pcs.
Sox Width 124 mm Sox Height 78 mm Length 41,5 mm Vidth 78 mm leight 48 mm leight Weight 0,0253 kg Veight bag 0,002 kg Veight cardboard 0,0134 kg Gross Weight 0,0154 kg Stoss Weight 0,00155 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph Recycling Symbol "5", Polypropylene (PP) No Stin-13 Number 5705022028906 STIN-14 Number (Box quantity) 15705028028891 Sustoms Tariff No. 39241000	Quantity Per Layer (Pallet)	120 Pcs.
Box Height 78 mm Length 41,5 mm Vidth 78 mm Reight 48 mm leight 0,0253 kg Veight bag 0,002 kg Veight cardboard 0,0134 kg Foress Weight 0,0154 kg Cubik metre 0,000155 MG Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -10 °C Min. pH-value in usage concentration 2 pH Recycling Symbol "5", Polypropylene (PP) No Stin-13 Number 5705022028906 STIN-14 Number (Box quantity) 15705028028891 Customs Tariff No. 39241000	Box Length	282 mm
Max usage temperature (Dishwasher) Max usage temperature (Non food contact) Max usage temperature (Non fo	Box Width	124 mm
Vidth 78 mm leight 48 mm let Weight 0,0253 kg Veight bag 0,002 kg Veight cardboard 0,0134 kg Fare total 0,0154 kg Gross Weight 0,04 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -10 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Secycling Symbol "5", Polypropylene (PP) No Stin-13 Number 5705022028906 STIN-14 Number (Box quantity) 15705028028891 Stustoms Tariff No. 39241000	Box Height	78 mm
Reight A8 mm Ret Weight 0,0253 kg Weight bag 0,002 kg Weight cardboard 0,0134 kg Fare total 0,0154 kg Fare total 0,0154 kg Fare total 0,000155 kg Fare total 0,00154 kg Fare to	Length	41,5 mm
Veight bag	Width	78 mm
Veight bag 0,002 kg Veight cardboard 0,0134 kg Fare total 0,0154 kg Foross Weight 0,004 kg Foross Weight 0,004 kg Foross Weight 0,000155 MG Foross W	Height	48 mm
Veight cardboard 0,0134 kg Fare total 0,0154 kg Foross Weight 0,004 kg Foross Weight 0,000155 MG	Net Weight	0,0253 kg
Fare total 0,0154 kg Foross Weight 0,04 kg Cubik metre 0,000155 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -10 °C Min. pH-value in usage concentration 2 pH Recycling Symbol "5", Polypropylene (PP) No Recycling Symbol "5", Polypropylene (PP) 5705022028906 RTIN-14 Number (Box quantity) 15705028028891 Rustoms Tariff No. 39241000	Weight bag	0,002 kg
Cubik metre 0,000155 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -10 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Mecycling Symbol "5", Polypropylene (PP) No Min-13 Number 5705022028906 Min-14 Number (Box quantity) 15705028028891 Min-15 Tariff No. 39241000	Weight cardboard	0,0134 kg
Cubik metre 0,000155 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -10 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) No Stin-13 Number 5705022028906 STIN-14 Number (Box quantity) 15705028028891	Tare total	0,0154 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Recycling Symbol "5", Polypropylene (PP) Notin-13 Number Stin-14 Number (Box quantity) Customs Tariff No.	Gross Weight	0,04 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration As pH-value in Usage Concentration Recycling Symbol "5", Polypropylene (PP) Stin-13 Number STIN-14 Number (Box quantity) Customs Tariff No. 93 °C 80 °C	Cubik metre	0,000155 M3
Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Recycling Symbol "5", Polypropylene (PP) Notin-13 Number STIN-14 Number (Box quantity) Sustoms Tariff No. 80 °C 10 °C 10 °C 10 °C 10,5 pH 10	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Recycling Symbol "5", Polypropylene (PP) Notin-13 Number Stin-14 Number (Box quantity) Sustoms Tariff No. 10° Continuation 10,5 pH 5705022028906 15705022028906 39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. pH-value in usage concentration Ax. pH-value in Usage Concentration Recycling Symbol "5", Polypropylene (PP) Notin-13 Number STIN-14 Number (Box quantity) Customs Tariff No. 2 pH 20	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration Recycling Symbol "5", Polypropylene (PP) Stin-13 Number STIN-14 Number (Box quantity) Sustoms Tariff No. 10,5 pH 5705022028906 5705022028906 39241000	Min. usage temperature ³	-10 °C
Recycling Symbol "5", Polypropylene (PP) Stin-13 Number STIN-14 Number (Box quantity) Sustoms Tariff No. Sustant Symbol "5", Polypropylene (PP) 5705022028906 5705022028906 39241000	Min. pH-value in usage concentration	2 pH
Stin-13 Number 5705022028906 STIN-14 Number (Box quantity) 15705028028891 Sustoms Tariff No. 39241000	Max. pH-value in Usage Concentration	10,5 pH
Customs Tariff No. 15705028028891	Recycling Symbol "5", Polypropylene (PP)	No
Customs Tariff No. 39241000	Gtin-13 Number	5705022028906
	GTIN-14 Number (Box quantity)	15705028028891
Country of origin	Customs Tariff No.	39241000
Denmark	Country of origin	Denmark

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

2/23/2021 3/3