Hand Scraper, 75 mm, Brown





Designed for cleaning small spaces and rounded equipment such as large bowls, this narrow hand scraper is ideal for loosening stubbon dirt, including pastry, chocolate and burnt food. The polypropylene material reduces the risk of scratching sensitive surfaces.

Technical Data

| Blade Thickness 3.3 mm Material Polypropylene Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Width 195 mm Box Height 75 mm Width 18 mm Height 210 mm Gross Weight 0.06 kg Net Weight 0.05 kg Cubik metre 0,003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Min. ph-value in usage concentration 2 pH Min. ph-value in usage concentration | Item Number | 406066 |
|--|---|----------------|
| Complies with (EC) 1935/2004 on food contact materials' Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Yes Box Length Yes Box Length Yes Box Height Yes Box Height Yes Width Yes Width Yes Width Yes Net Weight Yes Cubik metre 0,003 M3 Recommended sterillisation temperature (Autoclave) Max usage temperature (Dishwasher) Net Was usage temperature (Dishwasher) Net Was usage temperature (In on food contact) Net Was usage temperature (In on food contact) Net Was ph-value in usage concentration Net Wes Cutoms Tariff No. 39241000 Customs Tariff No. | Blade Thickness | 3,3 mm |
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 400 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number< | Material | Polypropylene |
| Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. usage temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycl | | Yes |
| Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705028013965 <t< th=""><th>FDA compliant raw material (CFR 21)</th><th>Yes</th></t<> | FDA compliant raw material (CFR 21) | Yes |
| Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 4000 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705028013965 Customs Tariff No. 39241000 | Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705028013965 Customs Tariff No. 39241000 | Use of phthalates and bisphenol A | No |
| Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705022013965 Customs Tariff No. 39241000 | Is Halal compliant | Yes |
| Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705022013965 Customs Tariff No. 39241000 | Box Quantity | 25 Pcs. |
| Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705028013965 Customs Tariff No. 39241000 | Quantity per Pallet (80 x 120 x 200 cm) | 4000 Pcs |
| Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705028013965 Customs Tariff No. 39241000 | Quantity Per Layer (Pallet) | 400 Pcs. |
| Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705028013965 Customs Tariff No. 39241000 | Box Length | 290 mm |
| Length 75 mm Width 18 mm Height 210 mm Gross Weight 0,06 kg Net Weight 0,05 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705028013965 Customs Tariff No. 39241000 | Box Width | 195 mm |
| Width18 mmHeight210 mmGross Weight0,06 kgNet Weight0,05 kgCubik metre0,0003 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Box Height | 175 mm |
| Height210 mmGross Weight0,06 kgNet Weight0,05 kgCubik metre0,0003 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Length | 75 mm |
| Gross Weight0,06 kgNet Weight0,05 kgCubik metre0,0003 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Width | 18 mm |
| Net Weight0,05 kgCubik metre0,0003 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Height | 210 mm |
| Cubik metre0,0003 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Gross Weight | 0,06 kg |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Net Weight | 0,05 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Cubik metre | 0,0003 M3 |
| Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Max usage temperature (food contact) | 100 °C |
| Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Max usage temperature (non food contact) | 100 °C |
| Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Min. usage temperature ³ | -20 °C |
| Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Max. drying temperature | 120 °C |
| Recycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705022013933GTIN-14 Number (Box quantity)15705028013965Customs Tariff No.39241000 | Min. pH-value in usage concentration | 2 pH |
| Gtin-13 Number 5705022013933 GTIN-14 Number (Box quantity) 15705028013965 Customs Tariff No. 39241000 | Max. pH-value in Usage Concentration | 10,5 pH |
| GTIN-14 Number (Box quantity) 15705028013965 Customs Tariff No. 39241000 | Recycling Symbol "5", Polypropylene (PP) | Yes |
| Customs Tariff No. 39241000 | Gtin-13 Number | 5705022013933 |
| | GTIN-14 Number (Box quantity) | 15705028013965 |
| Country of origin Denmark | Customs Tariff No. | 39241000 |
| | Country of origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.