Washing Brush with short handle, 270 mm, Soft, White





With an ergonomic short handle and very soft bristles that retain water and chemcial to improve cleaning efficacy, this Washing Brush is perfect for cleaning fragile surfaces such as glass and Perspex.

It is also suitable for coating of e.g. cheese with wax.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No. 8 Halal and Kosher compliant Yes Quantity Per Layer (Pallet) 10 Pcs Quantity 10 Pcs Quantity Per Layer (Pallet) 80 Pcs Quantity 80 Pcs Quantity 90 Pcs Quantit	Item Number	41985
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Shalal and Kosher compliant Design Registration No. EU 002025700-0001-3 Box Quantity 10 Pcs Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width 290 mm Box Width 290 mm Width 70 mm Width 70 mm Width 70 mm Width 70 mm Weight bag 0.0056 kg Weight bag 0.0056 kg Weight bag 0.0056 kg Weight cardboard Fare total Complies with (EC) 1935/2004 on food contact) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Max usage temperature³ 10.5 p Max. pH-value in usage concentration 10.5 p Max. pH-value in usage concentration 10.5 p Max. pH-value in usage concentration 10.5 p	Visible bristle length	46 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. EU 002025700-0001-3 BOX Quantity 10 Pos Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) BOX Length BOX Width 290 mm BOX Width 290 mm Midth 70 mm Height Net Weight Net Weight Net Weight Neight cardboard Cubik metre Quantity emperature (Autoclave) Max usage temperature (Food contact) Max usage temperature (non food contact) Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10.5 ph Max. pH-value in Usage Concentration 10.5 ph Max pH-value in Usage Concentration 10.6 ph Max pH-value in Usage Concentration	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A S Halal and Kosher compliant Design Registration No. EU 002025700-0001-3 BOX Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) BOX Length BOX Width 290 mm BOX Width 290 mm Midth 70 mm Height Neight cardboard August Weight Cardboard August Weight Cubik metre 0,001701 M: Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max pH-value in usage concentration Max pH-value in usage Concentration No as Halal and Kosher compliant Yes Cubik metre 10.5 ph No push ves August pH-value in usage Concentration 10.5 ph No push ves Pcs August pH-value in usage Concentration 10.5 ph No push ves Pcs August pH-value in Usage Concentration 10.5 ph No push ves Pcs August pH-value in Usage Concentration 10.5 ph No push ves Pcs Pcs Pcs Pcs Pcs Pcs Pcs P	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Jose of phthalates and bisphenol A No s Halal and Kosher compliant Pesign Registration No. EU 002025700-0001-3 BOX Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) BOX Width BOX Width 290 mm BOX Height Length Width 70 mm Width 70 mm Width Net Weight Net Weight Neight cardboard Gross Weight Cubik metre 0,001701 Mi Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature (non food contact) Min. usage temperature in usage concentration Min. usage temperature in usage concentration 10.5 ph Max. pH-value in usage Concentration 10.5 ph Max. pH-value in Usage Concentration 10.5 ph	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Shalal and Kosher compliant Pesign Registration No. BU 002025700-0001-3 BOX Quantity 10 Pcs Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) BOX Length BOX Width 290 mm BOX Height 180 mm Length Width 70 mm Height Net Weight Net Weight Weight cardboard Gross Weight Cubik metre 0,001701 Mi Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature in usage concentration Min. ph-value in usage Concentration Met Wel-value in usage Concentration No. 200225700-0001-3 EU 002025700-0001-3 BU 002025700-0	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A s Halal and Kosher compliant Sesign Registration No. EU 002025700-0001-3 BOX Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) 80 Pcs BOX Length 80 Width 290 mm BOX Height 180 mm Length 270 mm Width 70 mm Height 90 mm Wet Weight 90 mm Wet Weight 90 mm Weight bag 90 0,0056 kg Weight cardboard 10,065 kg Gross Weight 20,001701 MG Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature of the service of t	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Design Registration No. EU 002025700-0001-3 BOX Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) BOX Length BOX Width 290 mm BOX Height Length 270 mm Width 70 mm Height Net Weight bag 0,0056 kg Weight cardboard Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature 3 20 mm Min. pH-value in usage concentration EU 002025700-0001-3 EU 002025700-00	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No. EU 002025700-0001-3 Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 80 Pcs Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 270 mm Width 70 mm Height 90 mm Net Weight bag 0,0056 kg Weight cardboard 0,065 kg Gross Weight 0,224 kg Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Min. pH-value in usage concentration 10,5 ph Max pH-value in Usage Concentration 10,5 ph	Use of phthalates and bisphenol A	No
Box Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Cength Box Height Length Width Pes Weight bag Weight cardboard Gross Weight Cubik metre Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature (non food contact) Min. pH-value in usage concentration 100 Pcs Roc Quantity Per Layer (Pallet) 80 Pcs 80 P	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Height Length Per Layer (Pallet) Box Height Length Per Layer (Pallet) Box Height Box Height Length Per Layer (Pallet) Box Height Box Height Length Per Layer (Pallet) Box Width Per Layer (Pallet) Box Height Box Height Per Layer (Pallet) Per Layer (Pallet) Per Layer (Pallet) Box Length Per Layer (Pallet) Per Layer (Pallet) Box Height Per Layer (Pallet) Per Mix Height Per Layer (Pallet) Per Mix Height Per Layer (Pallet) Per Mix Length Per Layer (Pallet) Per Layer	Design Registration No.	EU 002025700-0001-3
Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Length Length Width Per Weight Net Weight Weight bag Weight cardboard Coubik metre Coubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. pH-value in usage concentration Max. pH-value in usage Concentration Max. pH-value in usage Concentration 380 mm 80 Pcs 80 Pcs 810 Pcs 81	Box Quantity	10 Pcs.
Sox Length 380 mm Sox Width 290 mm Sox Height 180 mm 270 mm Net Height 90 mm Net Weight 0,224 kg Neight bag 0,0056 kg Neight cardboard 0,065 kg Neight cardboard 0,065 kg Neight cardboard 0,0706 kg Neight card	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Width 290 mm Box Height 180 mm Length 270 mm Width 70 mm Neight 90 mm Net Weight 0,0224 kg Weight bag 0,0056 kg Weight cardboard 0,065 kg Gross Weight 0,0706 kg Cubik metre 0,001701 MG Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Quantity Per Layer (Pallet)	80 Pcs.
Box Height 180 mm Length 270 mm Width 70 mm Height 90 mm Net Weight 0,224 kg Weight bag 0,0056 kg Weight cardboard 0,065 kg Gross Weight 0,0706 kg Gross Weight	Box Length	380 mm
Length 270 mm Width 70 mm Height 90 mm Net Weight bag 0,0056 kg Weight cardboard 0,0056 kg Fare total 0,0706 kg Gross Weight 0,001701 Mg Cubik metre 0,001701 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Win. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Width	290 mm
Width70 mmHeight90 mmNet Weight bag0,0056 kgWeight cardboard0,065 kgTare total0,0706 kgGross Weight0,29 kgCubik metre0,001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature3-20 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Box Height	180 mm
Net Weight 0,224 kg Weight bag 0,0056 kg Weight cardboard 0,065 kg Tare total 0,0706 kg Gross Weight 0,29 kg Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Length	270 mm
Net Weight bag 0,0056 kg Weight cardboard 0,065 kg Tare total 0,0706 kg Gross Weight 0,00706 kg Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 3 -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Width	70 mm
Weight bag 0,0056 kg Weight cardboard 0,065 kg Tare total 0,0706 kg Gross Weight 0,29 kg Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Height	90 mm
Weight cardboard0,065 kgFare total0,0706 kgGross Weight0,29 kgCubik metre0,001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Net Weight	0,224 kg
Tare total0,0706 kgGross Weight0,29 kgCubik metre0,001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Weight bag	0,0056 kg
Gross Weight 0,29 kg Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,065 kg
Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Tare total	0,0706 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Gross Weight	0,29 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Cubik metre	0,001701 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration 10,5 ph	Min. usage temperature ³	-20 °C
	Min. pH-value in usage concentration	2 pH
3tin-13 Number 5705022030725	Max. pH-value in Usage Concentration	10,5 pH
3.13022000120	Gtin-13 Number	5705022030725

3/30/2021 2/3

GTIN-14 Number (Box quantity)	15705028030771
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

3/30/2021 3/3