## Washing Brush with short handle, 270 mm, Soft, Yellow





With an ergonomic short handle and very soft bristles that retain water and chemcial to improve cleaning efficacy, this Washing Brush is perfect for cleaning fragile surfaces such as glass and Perspex.

It is also suitable for coating of e.g. cheese with wax.

## **Technical Data**

Adaterial Polypropylene Polyester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials ' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA complies with UK 2019 No. 704 on food contact materials ' Yes Occupies with UK 2019 No. 704 on food contact materials   Yes Occupies with UK 2019 No. 704 on food contact materials   Yes Occupies with UK 2019 No. 704 on food contact materials   Yes Occupies with UK 2019 No. 704 on food contact materials   Yes Occupies with UK 2019 No. 704 on food contact materials   Yes Occupies with UK 2019 No. 704 on food contact materials   Yes Occupies No.	Item Number	41986
Polyester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  EDA complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Jose of phthalates and bisphenol A No. 8 Halal and Kosher compliant  EU 002025700-0001-3 Sex Quantity 10 Pcs Quantity Pr Layer (Pallet) 80 Pcs Quantity Pcs Quantit	Visible bristle length	46 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  EDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Jose of phthalates and bisphenol A  Is Halal and Kosher compliant  Pesign Registration No.  EU 002025700-0001-3  BOX Quantity  10 Pos  Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  BOX Width  290 mn  BOX Width  290 mn  BOX Height  180 mn  Length  Width  70 mn  Height  Note the Weight  Note the Weight  Note the Weight  Note the Reach Regulation (Autoclave)  Max usage temperature (Dishwasher)  Max usage temperatures  10 Pos	Material	Polyester Stainless Steel (AISI
Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Jose of phthalates and bisphenol A  Shalal and Kosher compliant  Cesign Registration No.  EU 002025700-0001-3  Sox Quantity  10 Pos Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Sox Length  Sox Length  Sox Height  Length  Cesign Registration No.  EU 002025700-0001-3  Cox Quantity  10 Pos Cox Quantity	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Yes Meets the REACH Regulation (EC) No. 1907/2006  Yes Jee of phthalates and bisphenol A  Shalal and Kosher compliant  Yes Clesign Registration No.  EU 002025700-0001-3  BOX Quantity  10 Pcs Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  80 Pcs BOX Length  80 No.  BOX Width  290 mn BOX Height  180 mn Clesight  180 m	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006  Jse of phthalates and bisphenol A  Resign Registration No.  Bull 1 and Kosher compliant  Design Registration No.  Bull 2 and Kosher compliant  Design Registration No.  Bull 2 and Kosher compliant  Design Registration No.  Bull 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	FDA compliant raw material (CFR 21)	Yes
Jse of phthalates and bisphenol A s Halal and Kosher compliant Sesign Registration No.  EU 002025700-0001-3 Sox Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height Length Lengt	Complies with UK 2019 No. 704 on food contact materials	Yes
Sesign Registration No. EU 002025700-0001-3  Sox Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 80 Pcs Sox Length 380 mm Sox Width 290 mm Sox Height 180 mm Sox Height 90 mm Sox Height 90 mm Sox Height 90 mm Sox Height 90 mm Sox Weight 90 mm Sox Weigh	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No. EU 002025700-0001-3 BOX Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 80 Pcs BOX Length 380 mm BOX Width 290 mm BOX Height 180 mm BOX Height 270 mm Width 70 mm Height 90 mm Net Weight 0,224 kg Weight bag 0,0056 kg Weight cardboard 0,065 kg Fores Weight 0,299 kg Cubik metre 0,001701 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 ph	Use of phthalates and bisphenol A	No
Box Quantity Per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  Cox Width  Co	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet)  80 Pcs  80 x Length  80 x Width  290 mm  80 x Height  180 mm  80 x Height  90 mm  90 x Height  90 mm  90 x Height  90 mm  90 x Height  90	Design Registration No.	EU 002025700-0001-3
Quantity Per Layer (Pallet)  Box Length  Box Width  Cox Height  Co	Box Quantity	10 Pcs.
Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 270 mm Width 70 mm Height 90 mm Net Weight Average 1 mm Net Weight Average 1 mm Net Weight Average 1 mm Note Weight Cardboard 2 mm Note Weight Cardboard 2 mm Note Weight 2 mm Note	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Width 290 mn Box Height 180 mn Length 270 mn Width 70 mn Height 90 mn Net Weight bag 0,0056 kg Weight cardboard 0,065 kg Fare total 0,0706 kg Cross Weight 0,0056 kg Cross Weight 0	Quantity Per Layer (Pallet)	80 Pcs.
Box Height 270 mm  Nidth 70 mm  Height 90 mm  Net Weight bag 0,0056 kg  Weight cardboard 0,065 kg  Fare total 0,0706 kg  Gross Weight 0,229 kg  Cubik metre 0,001701 Mg  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature 3 -20 °C  Min. pH-value in usage concentration 2 pH	Box Length	380 mm
Length 270 mm  Note the leight 90 mm  Net Weight 0,224 kg  Neight bag 0,0056 kg  Neight cardboard 0,065 kg  Fare total 0,0706 kg  Cubik metre 0,001701 M  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Min. usage temperature³ -20 °C  Min. pH-value in usage concentration 2 pH	Box Width	290 mm
Nidth 70 mm Height 90 mm Net Weight bag 0,0056 kg Neight cardboard 0,065 kg Tare total 0,0706 kg Gross Weight 0,224 kg Cubik metre 0,001701 MS Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH	Box Height	180 mm
Height 90 mm Net Weight 0,224 kg Weight bag 0,0056 kg Weight cardboard 0,065 kg Fare total 0,0706 kg Gross Weight 0,29 kg Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH	Length	270 mm
Neight bag 0,0056 kg Weight cardboard 0,065 kg Tare total 0,0706 kg Cubik metre 0,001701 MS Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH	Width	70 mm
Veight bag0,0056 kgVeight cardboard0,065 kgFare total0,0706 kgGross Weight0,29 kgCubik metre0,001701 MgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pH	Height	90 mm
Veight cardboard0,065 kgFare total0,0706 kgGross Weight0,29 kgCubik metre0,001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pH	Net Weight	0,224 kg
Tare total 0,0706 kg  Gross Weight 0,29 kg  Cubik metre 0,001701 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C  Min. pH-value in usage concentration 2 pH	Weight bag	0,0056 kg
Cubik metre 0,001701 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C  Min. pH-value in usage concentration 2 pH	Weight cardboard	0,065 kg
Cubik metre 0,001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH	Tare total	0,0706 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Min. pH-value in usage concentration	Gross Weight	0,29 kg
Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature <sup>3</sup> Min. pH-value in usage concentration  93 °C  100 °C	Cubik metre	0,001701 M3
Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration  80 °C  100 °C  2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Min. pH-value in usage concentration  2 ph	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C Min. pH-value in usage concentration 2 ph	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration 2 ph	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration 10,5 ph	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10,5 pH
<b>Stin-13 Number</b> 5705022030732	Gtin-13 Number	5705022030732

3/30/2021 2/3

GTIN-14 Number (Box quantity)	15705028030788
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

3/30/2021 3/3