

45816

UST Bench Brush, 330 mm, Soft, Yellow



ULTRA SAFE TECHNOLOGY bench brush with soft Ultra Filament Security. The brush is ideal for sweeping fine dry particles from conveyor belts, food preparation surfaces, tables and equipment in high risk areas. The placement of the Filament Security Units enables efficient sweeping of fine dry particles.

Technical Data

Item Number	45816
Visible bristle length	57 mm
Material	Polyester
Suitable for Food Contact (EU 1935/2004), DoC ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Use of Phthalates (e.g. Bisphenol A)	No
Is Halal compliant	Yes
Patent Pending No.	PA201270087, PA201270088
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	1040 Pcs
Box Length	380 mm
Box Width	290 mm
Box Height	135 mm
Length	330 mm
Width	35 mm
Height	135 mm
Gross Weight	0,21 kg
Net Weight	0,18 kg
Cubik metre	0,001559 M3
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	80 °C
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. drying temperature	100 °C
Min. usage temperature	-20 °C
Max. pH-value in Usage Concentration	10,5 pH
Min. pH-value in usage concentration	2 pH
Recycling Mark 7	Yes
Gtin-13 Number	5705020458163
GTIN-14 Number (Box quantity)	15705020458160
Commodity Code	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.