56696

Hand Scoop, Metal Detectable, 0.5 Litre, Yellow





This ergonomically designed metal-detectable Hand Scoop is lightweight and durable. A one-piece construction prevents bacterial contamination, and a smooth surface allows for easy cleaning. Ideal for moving ingredients in food production areas. Metal detection can be tested using Vikan test kit (11113).

## **Technical Data**

Content 0,5 Litre   Content 16,91 Fl oz   Material Polypropylee Material & X-Ray detectable additive   Complies with (EC) 1935/2004 on food contact materials* Yes   Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes   FDA compliant raw material (CFR 21) Yes   Complies with UK 2019 No. 704 on food contact materials Yes   Meets the REACH Regulation (EC) No. 1907/2006 Yes   Use of phthalates and bisphenol A No   Is Halal and Kosher compliant Yes   Box Quantity 15 Pcs.   Quantity Per Pallet (80 x 120 x 200 cm) 960 Pcs   Quantity Per Layer (Pallet) 120 Pcs.   Box Length 380 mm   Box Width 290 mm   Box Width 290 mm   Box Weight 0,0157 kg   Gross Weight 0,0157 kg   Gross Weight 0,0157 kg   Conbard 0,002635 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max usage temperature (Iood contact) 100 °C   Max usage temperature (Ion food contact) 100 °C   Max usage temperature (Iood cont	Item Number	56696
Material   Polypropylene Metal & X-Ray detectable additive     Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> Yes     Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice   Yes     FDA compliant raw material (CFR 21)   Yes     Complies with UK 2019 No. 704 on food contact materials   Yes     Meets the REACH Regulation (EC) No. 1907/2006   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity   15 Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   960 Pcs.     Box Length   380 mm     Box Vieth   290 mm     Box Kleight   180 mm     Length   310 mm     Width   85 mm     Height   0,0157 kg     Tare total   0,0157 kg     Gross Weight cardboard   0,15 kg     Cubik metre   0,002636 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (food contact)   100 °C     Max usage temperature <sup>6</sup> -20	Content	0,5 Litre
Mefal & X-Ray detectable additive   Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> Yes   Produced according to EU Regulation 2023/2006/EC of Good Yes   FDA compliant raw material (CFR 21) Yes   Complies with UK 2019 No. 704 on food contact materials Yes   Meets the REACH Regulation (EC) No. 1907/2006 Yes   Use of phthalates and bisphenol A No   Is Halal and Kosher compliant Yes   Box Quantity 15 Pes.   Quantity Per Layer (Pallet) 120 Pcs.   Box Length 380 mm   Box Width 290 mm   Box Kleight 1310 mm   Width 85 mm   Height 100 rmm   Net Weight 0.0157 kg   Tare total 0.0157 kg   Gross Weight cardboard 0.0157 kg   Cubik metre 0.002635 M3   Recommended sterillsation temperature (Autoclave) 121 °C   Max usage temperature (Dishwasher) 93 °C   Max usage temperature (Iosh contact) 100 °C   Min. usage temperature (Dod contact) 100 °C   Min. usage temperature (Dishwasher) 93 °C   Max usage	Content	16,91 Fl oz
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length380 mmBox Kidth290 mmBox Height180 mmLength310 mmVidth85 mmHeight0.0157 kgTare total0.0157 kgGross Weight0.15 kgCubik metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature (food contact)20 °CMin. usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature (food contact)20 °CMin. usage temperature (food contact)100 °CMin. usage temperature (food contact)20 °CMin. usage temp	Material	Metal & X-Ray
Manufacturing PracticeFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length380 mmBox Width290 mmBox Height180 nmLength310 mmWidth85 mmHeight100 nmNet Weight0,135 kgWeight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (So cutati)100 °CMin. usage temperature (Dos contact)100 °CMin. usage temperature (Dos contact)100 °CMin. usage temperature (So cutati)100 °CMin. usage te	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length380 mmBox Kidth290 mmBox Height180 mmLength310 mmWidth85 mmHeight0,0157 kgGross Weight0,0157 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature (So quantity)15705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000		Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length380 mmBox Width290 mmBox Height180 mmLength310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature (food contact)100 °CMin. usage temperature (food contact)200 °CMin. 13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length380 mmBox Width290 mmBox Height180 mmLength310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature food contact)100 °CMin. usage temperature food contact)200 °CMin. PH-value in usage concentration-20 °CMin. PH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs   Quantity Per Layer (Pallet) 120 Pcs.   Box Length 380 mm   Box Width 290 mm   Box Height 180 mm   Length 310 mm   Width 85 mm   Height 100 mm   Width 85 mm   Height 0,0135 kg   Weight cardboard 0,0157 kg   Gross Weight 0,115 kg   Cubik metre 0,002635 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max usage temperature (food contact) 100 °C   Max usage temperature (non food contact) 100 °C   Min. pH-value in usage concentration -20 °C <t< td=""><td>Meets the REACH Regulation (EC) No. 1907/2006</td><td>Yes</td></t<>	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length380 mmBox Width290 mmBox Height180 mmLength310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgGross Weight0,157 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. pH-value in usage concentration-20 °CMin. pH-value in usage concentration-20 pHGTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)960 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length380 mmBox Width290 mmBox Height180 mmLength310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgGross Weight0,135 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMin. usage temperatures-20 °CMin. usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)120 Pcs.Box Length380 mmBox Width290 mmBox Height180 mmLength310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Box Quantity	15 Pcs.
Box Length380 mmBox Width290 mmBox Height180 mmLength310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Width290 mmBox Height180 mmLength310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (food contact)100 °CMin. usage temperature of contact100 °CMin. pH-value in usage concentration-20 pHGTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Quantity Per Layer (Pallet)	120 Pcs.
Box Height180 mmLength310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Box Length	380 mm
Length310 mmWidth85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (on food contact)100 °CMin. pH-value in usage concentration-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Box Width	290 mm
Width85 mmHeight100 mmNet Weight0,135 kgWeight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Box Height	180 mm
Height100 mmNet Weight0,135 kgWeight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMin. usage temperature food contact)100 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Length	310 mm
Net Weight0,135 kgWeight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Width	85 mm
Weight cardboard0,0157 kgTare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Height	100 mm
Tare total0,0157 kgGross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Net Weight	0,135 kg
Gross Weight0,15 kgCubik metre0,002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Weight cardboard	0,0157 kg
Cubik metre0,002635M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Tare total	0,0157 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Gross Weight	0,15 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Cubik metre	0,002635 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMin. pH-value in usage concentration-20 pHGtin-13 Number5705022032378GTIN-14 Number (Box quantity)15705028032386Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Min. pH-value in usage concentration   -20 pH     Gtin-13 Number   5705022032378     GTIN-14 Number (Box quantity)   15705028032386     Customs Tariff No.   39241000	Max usage temperature (non food contact)	100 °C
Gtin-13 Number   5705022032378     GTIN-14 Number (Box quantity)   15705028032386     Customs Tariff No.   39241000	Min. usage temperature <sup>3</sup>	-20 °C
GTIN-14 Number (Box quantity)   15705028032386     Customs Tariff No.   39241000	Min. pH-value in usage concentration	-20 pH
Customs Tariff No.39241000	Gtin-13 Number	5705022032378
	GTIN-14 Number (Box quantity)	15705028032386
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.