

70646

# UST Deck Scrub, 400 mm, Hard, Yellow



ULTRA SAFE TECHNOLOGY deck scrub, designed to be very effective in scrubbing stubborn dirt on both textured and smooth surfaces in high risk areas. The angled arrangement of the Filament Security Units enables efficient removal of stubborn debris.

# Technical Data

Item Number	70646
Visible bristle length	37 mm
Material	Polyester
Suitable for Food Contact (EU 1935/2004), DoC <sup>1</sup>	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Use of Phthalates (e.g. Bisphenol A)	No
Is Halal compliant	Yes
Patent Pending No.	PA201270087, PA201270088
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Box Length	410 mm
Box Width	290 mm
Box Height	200 mm
Length	400 mm
Width	50 mm
Height	75 mm
Gross Weight	0,388 kg
Net Weight	0,35 kg
Cubik metre	0,0019 M3
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	80 °C
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. drying temperature	100 °C
Min. usage temperature	-20 °C
Max. pH-value in Usage Concentration	10,5 pH
Min. pH-value in usage concentration	2 pH
Recycling Mark 7	Yes
Gtin-13 Number	5705020706462
GTIN-14 Number (Box quantity)	15705020706469
Commodity Code	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.