Ergo foam sprayer, incl. jet spray, 1/2", 2.5 Litre(s), Blue





Cleaning in sanitary and small processing areas. Foam is applied with the foam sprayer without aerosols at normal water pressure. Always correct dosage ratio at 0.4-10%. Identification of chemicals facilitated by the colour-coding of the container. Use Safeone, 9340 as protection against chemical reflux in potable water supplies. Approved according to EN 1717 - substance class 3.

Technical Data

Item Number	93013
Couplings Size	1/2 "
Volume	2,5 Litre(s)
Material	Brass
Suitable for Food Contact (EU 1935/2004), DoC ¹	No
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	No
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	80 Pcs
Box Length	290 mm
Box Width	285 mm
Box Height	210 mm
Length	290 mm
Width	285 mm
Height	210 mm
Gross Weight	1,796 kg
Net Weight	1,509 kg
Cubik metre	0,017357 M3
Recommended sterilisation temperature (Autoclave)	60 °C
Max usage temperature (food contact)	60 °C
Min. usage temperature	5 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Min. Bars pressure	2 Bar
Max. bars pressure	10 Bar
Gtin-13 Number	5705020930133
GTIN-14 Number (Box quantity)	15705020930130
Commodity Code	84818099
Country of origin	Denmark

When the foam application is finalized, it is important to rinse the injector with clean water to avoid blocking of the nozzle. Screw the injector of the container and let it suck clean water through the suction hose to enable hose, filter and nozzle to be rinsed for chemicals.