Foam sprayer, incl. jet spray, 1/2"(Q), 2.5 Litre, Red





Easily tackle large-scale cleaning tasks with the Foaming Set. Whether you're cleaning walls in a food processing environment or washing the floors in showers, fitness studios, pools, or more, the Foaming Set gets the job done with a constant chemical dosage (0.4-10%, depending on manufacturer's recommendations). It can handle 8 bars of pressure and has an ergonomic grip that won't slip, even when wet.

Each version comes in 5 colours and has a set of 15 colour-coded nozzles for different chemical concentrations.

Never allow chemicals directly through the foaming gun.

Technical Data

Content 2.5 Litre Material Brass Orgalloy Polyamide Polyethylene (HDPE) Complies with (EC) 1935/2004 on food contact materials¹ No Complies with UK 2019 No. 704 on food contact materials¹ No Meets the REACH Regulation (EC) No. 1907/2006 Yes⁻¹¹* California Proposition 65 Compliant No SCIP number e0168018-169a-4efe-99c9-e829c26a9d63 Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Widith 285 mm Height 210 mm Net Weight 1.51 kg Wolght cardboard (Recycling symbol "20" PAP) 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 6 °C Max usage temperature* 5 °C Min. usage temperature* 2 Bar Min. bars pressure 8 Bar Min. Bar	Item Number	93034
Material Brass Orgalloy Polyamide Polyethylene (HDPE) Complies with (EC) 1935/2004 on food contact materials¹ No Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes ** California Proposition 65 Compliant No SCIP number e0168018-f69a-4efe-99c9-e829c268a9d63 Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Roy California Proposition 65 Compliant Width 290 mm Width 290 mm Width 1286 mm Height 210 mm Net Weight 210 mm Net Wei	Couplings Size	1/2 "
Complies with (EC) 1935/2004 on food contact materials¹ Complies with UK 2019 No. 704 on food contact materials¹ No Meets the REACH Regulation (EC) No. 1907/2006 Yes ** California Proposition 65 Compliant No SCIP number e0168018-f69a-4efe-99c9-e829c26a9d63 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width 285 mm Height 210 mm Net Weight Tare total Gross Weight Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) Min. usage temperature (Dishwasher) Min. usage temperature (Dishwasher) Min. usage temperature Min. Bars pressure 8 Bar Max. bars pressure 8 Bar Gtin-13 Number Customs Tariff No.	Content	2.5 Litre
Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes ** California Proposition 65 Compliant No SCIP number e0168018-169a-4erfe-99c9-e829c26a9d63 Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.51 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (Dishwasher) 60 °C Min. usage temperature and concentration 2 pH Max. pH-value in usage concentration 1 pH Min. Bars pressure 8 Bar Min. Bars pressure 8 Bar Citin-13 Number 5705022039919 Customs	Material	Orgalloy Polyamide
Meets the REACH Regulation (EC) No. 1907/2006 Yes ** California Proposition 65 Compliant No SCIP number e0168018-f69a-4efe-99c9-e829c26a9d63 Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature (non food contact) 60 °C Min. pH-value in usage concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099 </td <td>Complies with (EC) 1935/2004 on food contact materials¹</td> <td>No</td>	Complies with (EC) 1935/2004 on food contact materials ¹	No
California Proposition 65 Compliant No SCIP number e0168018-f69a-4efe-99c9-e829c26a9d63 Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Complies with UK 2019 No. 704 on food contact materials	No
SCIP number e0168018-f69a-4efe-99c9-e829c26a9d63 Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperatures 5 °C Min. usage temperatures 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 8 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	California Proposition 65 Compliant	No
Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	SCIP number	
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm) 80 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 0 Pcs. Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Box Quantity	1 Pcs.
Length 290 mm Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 180-200 cm)	80 Pcs
Width 285 mm Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	0 Pcs.
Height 210 mm Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Length	290 mm
Net Weight 1.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.287 kg Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Width	285 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No.	Height	210 mm
Tare total 0.287 kg Gross Weight 1.8 kg Cubik metre 0.017356 M3 Max. cleaning temperature (Dishwasher) 50 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 5 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Net Weight	1.51 kg
Gross Weight1.8 kgCubik metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGtin-13 Number5705022039919Customs Tariff No.96039099	Weight cardboard (Recycling symbol "20" PAP)	0.287 kg
Cubik metre0.017356 M3Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGtin-13 Number5705022039919Customs Tariff No.96039099	Tare total	0.287 kg
Max. cleaning temperature (Dishwasher)50 °CMax usage temperature (non food contact)60 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGtin-13 Number5705022039919Customs Tariff No.96039099	Gross Weight	1.8 kg
Max usage temperature (non food contact)60 °CMin. usage temperature35 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGtin-13 Number5705022039919Customs Tariff No.96039099	Cubik metre	0.017356 M3
Min. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGtin-13 Number5705022039919Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	50 °C
Min. pH-value in usage concentration Max. pH-value in Usage Concentration 11 pH Min. Bars pressure 2 Bar Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Max usage temperature (non food contact)	60 °C
Max. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure8 BarGtin-13 Number5705022039919Customs Tariff No.96039099	Min. usage temperature ³	5 °C
Min. Bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
Max. bars pressure 8 Bar Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	11 pH
Gtin-13 Number 5705022039919 Customs Tariff No. 96039099	Min. Bars pressure	2 Bar
Customs Tariff No. 96039099	Max. bars pressure	8 Bar
	Gtin-13 Number	5705022039919
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

When the foam application is finalized, it is important to rinse the injector with clean water to avoid blocking of the nozzle. Screw the injector of the container and let it suck clean water through the suction hose to

enable hose, filter and nozzle to be rinsed for chemicals.

^{**} Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.